

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES	
				J	1	17
2. AMENDMENT/MODIFICATION NO. <b>P00003</b>		3. EFFECTIVE DATE 04-Feb-2010	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21A		5. PROJECT NO. (If applicable)	
6. ISSUED BY NCRCC - ITEC4 2481 EISENHOWER AVENUE ALEXANDRIA VA 22331-1700		CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA DAYTON GYOH DCMAE-GYOH 1725 VAN PATTON DRIVE BLDG 30, AREA C WPAFB OH 45433-5302		CODE S3605A	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) CDO TECHNOLOGIES, INC. KAREN SERMERSHEIM 5200 SPRINGFIELD ST STE 320 DAYTON OH 45431-1272				9A. AMENDMENT OF SOLICITATION NO.		
				9B. DATED (SEE ITEM 11)		
				X 10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0042		
				X 10B. DATED (SEE ITEM 13) 23-Jul-2009		
CODE: 04ZD8		FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended. <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).						
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c). Changes.						
D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee101175  See continuation pages.						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print) Shannon Cunningham Contracts Manager <i>Shannon Cunningham</i>			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) <i>Charles Johnson</i> TEL: 703 825 5430 EMAIL:			
15B. CONTRACTOR/OFFEROR <i>Shannon Cunningham</i> (Signature of person authorized to sign)		15C. DATE SIGNED 2 Mar 10	16B. UNITED STATES OF AMERICA BY <i>Charles Johnson</i> (Signature of Contracting Officer)		16C. DATE SIGNED 3/5/10	

EXCEPTION TO SF 30  
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)  
Prescribed by GSA  
FAR (48 CFR) 53.243

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	17
2. AMENDMENT/MODIFICATION NO. P00003	3. EFFECTIVE DATE 04-Feb-2010	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21A		5. PROJECT NO.(If applicable)	
6. ISSUED BY NCRCC - ITEC4 2461 EISENHOWER AVENUE ALEXANDRIA VA 22331-1700	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA DAYTON GYOH DCMAE-GYOH 1725 VAN PATTON DRIVE BLDG 30, AREA C WPAFB OH 45433-5302		CODE	S3605A
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) CDO TECHNOLOGIES, INC. KAREN SERMERSHEIM 5200 SPRINGFIELD ST STE 320 DAYTON OH 45431-1272			9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
			X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0042	
			X	10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE 04ZD8	FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c), Changes.					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee101175  See continuation pages.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) JAMES E. JOHNSON / CONTRACTING OFFICER TEL: 703-325-3430 EMAIL: james.johnson27@conus.army.mil		
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY 		16C. DATE SIGNED 05-Mar-2010
(Signature of person authorized to sign)		(Signature of Contracting Officer)			

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

## SUMMARY OF CHANGES

## SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

SF 30 CONT'D

A. This modification:

1. Incorporates Contract Change Proposals (CCPs) No. ACD001, ACD003, ACD005, and ACD006. As a result, the descriptions and/or unit prices for the SLINs listed in the table below changed as shown. Changes are indicated in **red** font, except for the change in description for SLIN 0031KA which results in deletion of a portion of the description.

2. Administratively removes "In accordance with Part C-1-1(j), this SLIN is not available for ordering until further notice." from the description for SLIN 1001AA. The sentence was inadvertently included in the description in Part B-2 that was added to the contract by Modification P00001.

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0001AA	Hand Held Barcode Terminal (HHT-A) a wit FFP Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200	Hand Held Barcode Terminal (HHT-A) a wit FFP Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <b>SDSDB-2048-A11</b> ; Apriva BT-200		

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0001AD and 1001AD			\$339.00	\$167.00
0001BA and 1001BA	Hand Held Barcode Terminal (HHT-B) with FFP Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9090-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200	Hand Held Barcode Terminal (HHT-B) with FFP Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola <del>MC9000-KK0HCFQA661</del> , includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <del>SDSDB-2048-A11</del> ; Apriva BT-200		
0001BD and 1001BD			\$339.00	\$167.00

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0001CA and 1001CA	Hand Held Barcode Terminal (HHT-C) with FFP Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10	Hand Held Barcode Terminal (HHT-C) with FFP Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <b>SDSDB-2048-A11</b>		
0001CD and 1002CD			\$339.00	<b>\$167.00</b>

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0001DA and 1001DA	Hand Held Barcode Terminal (HHT-D) with FFP Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9090-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200	Hand Held Barcode Terminal (HHT-D) with FFP Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola <del>MC9000-GK0HCEQA661</del> , includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <del>SDSDB-2048-A10</del> ; Apriva BT-200		
0001DD and 1001DD			\$339.00	\$167.00

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0001EA and 1001EA	Hand Held Barcode Terminal (HHT-E) with FFP Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10	Hand Held Barcode Terminal (HHT-E) with FFP Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <b>SDSDB-2048-A11</b>		
0001ED and 1001ED			\$339.00	<b>\$167.00</b>

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0001FA and 1001FA	Hand Held Barcode Terminal (HHT-F) with FFP Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10	Hand Held Barcode Terminal (HHT-F) with FFP Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <b>SDSDB-2048-A11</b>		
0001FD and 1001FD			\$339.00	<b>\$167.00</b>

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0009AA and 1009AA	<p>Portable/Wearable Bar Code Label Printer FFP Portable/Wearable Bar Code Label Printer. Zebra Kit Number 123-100251. Includes P4D-0U100000-00 (printer); AK18913-002(AC Adapter); AK18913-001 (spare battery); AK18666-1 (USB data cable). Print speeds up to 1.5 inches per second at print density of 203 dpi in Thermal Transfer mode. Also supports direct thermal printing at up to 3 inches per second. Accomodates print media up to 4 inches in width. USB data communication interface.</p>	<p>Portable/Wearable Bar Code Label Printer FFP Portable/Wearable Bar Code Label Printer. Zebra Kit Number 123-100251. Includes <b>P4D-0U100000-G1</b> (printer); AK18913-002(AC Adapter); AK18913-001 (spare battery); AK18666-1 (USB data cable). Print speeds up to 1.5 inches per second at print density of 203 dpi in Thermal Transfer mode. Also supports direct thermal printing at up to 3 inches per second. Accomodates print media up to 4 inches in width. USB data communication interface.</p>		
0009BA and 1009BA	<p>Portable/Stationary Bar Code Label Print FFP Portable/Stationary Bar Code Label Printer. Zebra GX420 Thermal Transfer/Direct Thermal Printer, Model GX42-100310-000. 203 dpi print density, EPL2/ZPL II print protocol/language, Serial, Parallel and USB Interfaces and Power Cord-US. Print speeds up to 6 inches per second, accomodates label stock up to 4 inches in width</p>	<p>Portable/Stationary Bar Code Label Print FFP Portable/Stationary Bar Code Label Printer. Zebra GX420 Thermal Transfer/Direct Thermal Printer, Model <b>GX42-100310-00G1</b>. 203 dpi print density, EPL2/ZPL II print protocol/language, Serial, Parallel and USB Interfaces and Power Cord-US. Print speeds up to 6 inches per second, accomodates label stock up to 4 inches in width</p>		

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0009CA and 1009CA	<p>Stationary Bar Code Label Printer FFP Stationary Bar Code Label Printer. Zebra Kit Number 123-100253. Includes ZM400 Printer Model Number ZM46F-2001-0000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included.</p>	<p>Stationary Bar Code Label Printer FFP Stationary Bar Code Label Printer. Zebra Kit Number 123-100253. Includes ZM400 Printer Model Number <b>ZM4G1-2001-0000T</b> (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included.</p>		
0009DA and 1009DA	<p>Stationary Bar Code Label Printer with I FFP Stationary Bar Code Label Printer with Installed Take-Up Reel. Zebra Kit Number 123-100254. Includes ZM400 Printer Model Number ZM46F-2001-4000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included.</p>	<p>Stationary Bar Code Label Printer with I FFP Stationary Bar Code Label Printer with Installed Take-Up Reel. Zebra Kit Number 123-100254. Includes ZM400 Printer Model Number <b>ZM4G1-2001-4000T</b>; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included.</p>		

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0009EA and 1009EA	<p>Stationary Bar Code Label Printer with I FFP</p> <p>Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM46F-2001-0000T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included.</p>	<p>Stationary Bar Code Label Printer with I FFP</p> <p>Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number <b>ZM4G1-2001-0400T</b>; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included.</p>		

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0009FA and 1009FA	Stationary Bar Code and Gen2 RFID Label FFP Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ47D-2001-400R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included.	Stationary Bar Code and Gen2 RFID Label FFP Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number <b>RZ4G1-2001-000R0</b> , 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included.		
0023DA and 1023DA			\$36,628.00	<b>\$18,693.00</b>
0023DB and 1023DB			\$1,737,717.00	<b>\$893,816.00</b>
0023DC and 1023DC			\$3,292,381.00	<b>\$1,724,473.00</b>
0023DD and 1023DD			\$7,621,754.00	<b>\$4,176,416.00</b>
0023DE and 1023DE			\$14,317,839.00	<b>\$7,944,508.00</b>
0031HA and 1031HA			\$27,997.00	<b>\$9,440.00</b>

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price - TO
0031KA and 1031KA	CAC Enablement Software SENSACSPWARE-CLI FFP CAC Enablement Software SENSACSPWARE-CLIENT- 1000, SENSAGUARD- CLIENT-1000, includes: BT200-T	CAC Enablement Software SENSACSPWARE-CLI FFP CAC Enablement Software SENSACSPWARE- CLIENT-1000, SENSAGUARD-CLIENT- 1000	\$225.00	\$20.00
1001AA	Hand Held Barcode Terminal (HHT-A) a wit FFP Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090- KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1- Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT- 81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200  In accordance with Part C-1- 1(j), this SLIN is not available for ordering until further notice.	Hand Held Barcode Terminal (HHT-A) a wit FFP Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21- 61261-XX; 1-Slot Serial Cradle Kit CRD9000- 110SR; USB Cable 25- 64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000- 110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card <b>SDSDB- 2048-A11</b> ; Apriva BT-200		

B. As a result of this modification, there is no change in the total amount obligated under the contract.

C. All other terms and conditions are unchanged.

## SUPPLIES OR SERVICES AND PRICES

## SUBCLIN 0001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200 to Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200.

## SUBCLIN 0001AD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 0001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9090-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200 to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200.

## SUBCLIN 0001BD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10 to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11.

## SUBCLIN 0001CD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 0001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9090-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200 to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200.

## SUBCLIN 0001DD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10 to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11.

## SUBCLIN 0001ED

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10 to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module

ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11.

SUBCLIN 0001FD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

SUBCLIN 0009AA

The CLIN extended description has changed from Portable/Wearable Bar Code Label Printer. Zebra Kit Number 123-100251. Includes P4D-0U100000-00 (printer); AK18913-002(AC Adapter); AK18913-001 (spare battery); AK18666-1 (USB data cable). Print speeds up to 1.5 inches per second at print density of 203 dpi in Thermal Transfer mode. Also supports direct thermal printing at up to 3 inches per second. Accomodates print media up to 4 inches in width. USB data communication interface. to PoPortable/Wearable Bar Code Label Printer. Zebra Kit Number 123-100251. Includes P4D-0U100000-G1 (printer); AK18913-002(AC Adapter); AK18913-001 (spare battery); AK18666-1 (USB data cable). Print speeds up to 1.5 inches per second at print density of 203 dpi in Thermal Transfer mode. Also supports direct thermal printing at up to 3 inches per second. Accomodates print media up to 4 inches in width. USB data communication interface..

SUBCLIN 0009BA

The CLIN extended description has changed from Portable/Stationary Bar Code Label Printer. Zebra GX420 Thermal Transfer/Direct Thermal Printer, Model GX42-100310-000. 203 dpi print density, EPL2/ZPL II print protocol/language, Serial, Parallel and USB Interfaces and Power Cord-US. Print speeds up to 6 inches per second, accomodates label stock up to 4 inches in width to PortPortable/Stationary Bar Code Label Printer. Zebra GX420 Thermal Transfer/Direct Thermal Printer, Model GX42-100310-00G1. 203 dpi print density, EPL2/ZPL II print protocol/language, Serial, Parallel and USB Interfaces and Power Cord-US. Print speeds up to 6 inches per second, accomodates label stock up to 4 inches in width.

SUBCLIN 0009CA

The CLIN extended description has changed from Stationary Bar Code Label Printer. Zebra Kit Number 123-100253. Includes ZM400 Printer Model Number ZM46F-2001-0000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer. Zebra Kit Number 123-100253. Includes ZM400 Printer Model Number ZM4G1-2001-0000T (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included..

SUBCLIN 0009DA

The CLIN extended description has changed from Stationary Bar Code Label Printer with Installed Take-Up Reel. Zebra Kit Number 123-100254. Includes ZM400 Printer Model Number ZM46F-2001-4000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer with Installed Take-Up Reel. Zebra Kit Number 123-100254. Includes ZM400 Printer Model Number ZM4G1-2001-4000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included..

## SUBCLIN 0009EA

The CLIN extended description has changed from Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM46F-2001-0000T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM4G1-2001-0400T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included..

## SUBCLIN 0009FA

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ47D-2001-400R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ4G1-2001-000R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included..

## SUBCLIN 0023DA

The unit price amount has decreased by \$17,935.00 from \$36,628.00 to \$18,693.00.

## SUBCLIN 0023DB

The unit price amount has decreased by \$843,901.00 from \$1,737,717.00 to \$893,816.00.

## SUBCLIN 0023DC

The unit price amount has decreased by \$1,567,908.00 from \$3,292,381.00 to \$1,724,473.00.

## SUBCLIN 0023DD

The unit price amount has decreased by \$3,445,338.00 from \$7,621,754.00 to \$4,176,416.00.

## SUBCLIN 0023DE

The unit price amount has decreased by \$6,373,331.00 from \$14,317,839.00 to \$7,944,508.00.

## SUBCLIN 0031HA

The unit price amount has decreased by \$18,557.00 from \$27,997.00 to \$9,440.00.

## SUBCLIN 0031KA

The CLIN extended description has changed from CAC Enablement Software SENSACSPWARE-CLIENT-1000, SENSAGUARD-CLIENT-1000, includes: BT200-T to CAC Enablement Software SENSACSPWARE-CLIENT-1000, SENSAGUARD-CLIENT-1000.

The unit price amount has decreased by \$205.00 from \$225.00 to \$20.00.

## SUBCLIN 1001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200 In accordance with Part C-1-1(j), this SLIN is not available for ordering until further notice. to Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200.

## SUBCLIN 1001AD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 1001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9090-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200 to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200.

## SUBCLIN 1001BD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

## SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola

MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10 to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11.

#### SUBCLIN 1001CD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

#### SUBCLIN 1001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9090-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10; Apriva BT-200 to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200.

#### SUBCLIN 1001DD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

#### SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10 to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11.

#### SUBCLIN 1001ED

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

#### SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDS-DB-2048-A10 to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11.

#### SUBCLIN 1001FD

The unit price amount has decreased by \$172.00 from \$339.00 to \$167.00.

#### SUBCLIN 1009AA

The CLIN extended description has changed from Portable/Wearable Bar Code Label Printer. Zebra Kit Number 123-100251. Includes P4D-0U100000-00 (printer); AK18913-002(AC Adapter); AK18913-001 (spare battery); AK18666-1 (USB data cable). Print speeds up to 1.5 inches per second at print density of 203 dpi in Thermal Transfer mode. Also supports direct thermal printing at up to 3 inches per second. Accomodates print media up to 4 inches in width. USB data communication interface. to PoPortable/Wearable Bar Code Label Printer. Zebra Kit Number 123-100251. Includes P4D-0U100000-G1 (printer); AK18913-002(AC Adapter); AK18913-001 (spare battery); AK18666-1 (USB data cable). Print speeds up to 1.5 inches per second at print density of 203 dpi in Thermal Transfer mode. Also supports direct thermal printing at up to 3 inches per second. Accomodates print media up to 4 inches in width. USB data communication interface..

#### SUBCLIN 1009BA

The CLIN extended description has changed from Portable/Stationary Bar Code Label Printer. Zebra GX420 Thermal Transfer/Direct Thermal Printer, Model GX42-100310-000. 203 dpi print density, EPL2/ZPL II print protocol/language, Serial, Parallel and USB Interfaces and Power Cord-US. Print speeds up to 6 inches per second, accomodates label stock up to 4 inches in width to PortPortable/Stationary Bar Code Label Printer. Zebra GX420 Thermal Transfer/Direct Thermal Printer, Model GX42-100310-00G1. 203 dpi print density, EPL2/ZPL II print protocol/language, Serial, Parallel and USB Interfaces and Power Cord-US. Print speeds up to 6 inches per second, accomodates label stock up to 4 inches in width.

#### SUBCLIN 1009CA

The CLIN extended description has changed from Stationary Bar Code Label Printer. Zebra Kit Number 123-100253. Includes ZM400 Printer Model Number ZM46F-2001-0000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer. Zebra Kit Number 123-100253. Includes ZM400 Printer Model Number ZM4G1-2001-0000T (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included..

**SUBCLIN 1009DA**

The CLIN extended description has changed from Stationary Bar Code Label Printer with Installed Take-Up Reel. Zebra Kit Number 123-100254. Includes ZM400 Printer Model Number ZM46F-2001-4000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer with Installed Take-Up Reel. Zebra Kit Number 123-100254. Includes ZM400 Printer Model Number ZM4G1-2001-4000T; 105850-006 (USB data cable); P1000219 (External print server network interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included..

**SUBCLIN 1009EA**

The CLIN extended description has changed from Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM46F-2001-0000T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM4G1-2001-0400T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included..

**SUBCLIN 1009FA**

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ47D-2001-400R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ4G1-2001-000R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included..

**SUBCLIN 1023DA**

The unit price amount has decreased by \$17,935.00 from \$36,628.00 to \$18,693.00.

**SUBCLIN 1023DB**

The unit price amount has decreased by \$843,901.00 from \$1,737,717.00 to \$893,816.00.

**SUBCLIN 1023DC**

The unit price amount has decreased by \$1,567,908.00 from \$3,292,381.00 to \$1,724,473.00.

SUBCLIN 1023DD

The unit price amount has decreased by \$3,445,338.00 from \$7,621,754.00 to \$4,176,416.00.

SUBCLIN 1023DE

The unit price amount has decreased by \$6,373,331.00 from \$14,317,839.00 to \$7,944,508.00.

SUBCLIN 1031HA

The unit price amount has decreased by \$18,557.00 from \$27,997.00 to \$9,440.00.

SUBCLIN 1031KA

The CLIN extended description has changed from CAC Enablement Software SENSACSPWARE-CLIENT-1000, SENSAGUARD-CLIENT-1000, includes: BT200-T to CAC Enablement Software SENSACSPWARE-CLIENT-1000, SENSAGUARD-CLIENT-1000.

The unit price amount has decreased by \$205.00 from \$225.00 to \$20.00.

(End of Summary of Changes)