


| AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT | | | 1. CONTRACT ID CODE | PAGE OF PAGES | |
|--|----------------------------------|--|--|---|--------|
| | | | J | 1 | 18 |
| 2. AMENDMENT/MODIFICATION NO. P00008 | 3. EFFECTIVE DATE 04-Nov-2010 | 4. REQUISITION/PURCHASE REQ. NO. W913AD9FYJTJ21A | | 5. PROJECT NO.(If applicable) | |
| 6. ISSUED BY NCRCC - ITEC4 2461 EISENHOWER AVENUE ALEXANDRIA VA 22331-1700 | CODE W91QUZ | 7. ADMINISTERED BY (If other than item 6) DCMA DAYTON GYOH DCMAE-GYOH 1725 VAN PATTON DRIVE BLDG 30, AREA C WPAFB OH 45433-5302 | | CODE | S3605A |
| 8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) CDO TECHNOLOGIES, INC. KAREN SERMERSHEIM 5200 SPRINGFIELD ST STE 320 DAYTON OH 45431-1272 | | | 9A. AMENDMENT OF SOLICITATION NO. | | |
| | | | 9B. DATED (SEE ITEM 11) | | |
| | | | X | 10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0042 | |
| | | | X | 10B. DATED (SEE ITEM 13) 23-Jul-2009 | |
| CODE 04ZD8 | FACILITY CODE | | | | |
| 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS | | | | | |
| <input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified. | | | | | |
| 12. ACCOUNTING AND APPROPRIATION DATA (If required) | | | | | |
| 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14. | | | | | |
| A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A. | | | | | |
| B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B). | | | | | |
| X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1 (c), Changes. | | | | | |
| D. OTHER (Specify type of modification and authority) | | | | | |
| E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office. | | | | | |
| 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee102283 See continuation pages. | | | | | |
| Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect. | | | | | |
| 15A. NAME AND TITLE OF SIGNER (Type or print) | | | 16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) JAMES E. JOHNSON / CONTRACTING OFFICER TEL: 703-325-3430 EMAIL: james.johnson27@us.army.mil | | |
| 15B. CONTRACTOR/OFFEROR | 15C. DATE SIGNED | 16B. UNITED STATES OF AMERICA BY  | | 16C. DATE SIGNED 04-Nov-2010 | |
| (Signature of person authorized to sign) | | (Signature of Contracting Officer) | | | |

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:SF 30 CONT'D

A. This modification incorporates Contract Change Proposals (CCPs) ACD008 and ACD009, and PM J-AIT contract change APM001.

1. As a result of incorporation of CCPs ACD008 and ACD009 descriptions and/or unit prices for the SLINs listed in the following table are changed as shown in **red** font:

| SLIN | Description – FROM | Description – TO | Unit Price – FROM | Unit Price – TO |
|-------------------------|--|--|-------------------|-----------------|
| 0005AA and 1005AA | Imager for PC Input - General Bar Code (w/Data Conversion) Motorola DS3408-SF20005R, includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R | Imager for PC Input - General Bar Code (w/Data Conversion) Motorola DS3508-SR20005R , includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R | | |
| 0005BA and 1005BA | Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Motorola DS3407-DP2005R includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R | Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Motorola DS3508-DP2005R includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R | | |
| 0021AA and 1021AA | IUID Part Marking Integrated Configuration,... software; Motorola Model DS3407-DP2005R handheld DPM imager (CLIN0005BA);.... | IUID Part Marking Integrated Configuration,... software; Motorola Model DS3508-DP2005R handheld DPM imager (CLIN0005BA);.... | | |
| 0023DA and 1023DA | Transit Case Configuration, Small Arms Room Kit... tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system... One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager.... | Transit Case Configuration, Small Arms Room Kit... tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case , AC Adapter/Power Cord, Windows Vista Operating system... One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager.... | \$18,693.00 | \$17,177.00 |
| 0023DB and 1023DB | Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations... tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard | Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations... tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, | \$893,816.00 | \$821,729.00 |

| SLIN | Description – FROM | Description – TO | Unit Price – FROM | Unit Price – TO |
|-------------------------|---|--|-------------------|-----------------|
| | Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system... One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager.... | CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case , AC Adapter/Power Cord, Windows Vista Operating system.... One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager.... | | |
| 0023DC and 1023DC | Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations... tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system... One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager.... | Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations... tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case , AC Adapter/Power Cord, Windows Vista Operating system. .. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager.... | \$1,724,473.00 | \$1,584,968.00 |
| 0023DD and 1023DD | Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations... tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system... One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager.... | Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations... tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case , AC Adapter/Power Cord, Windows Vista Operating system... One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager.... | \$4,176,416.00 | \$3,835,235.00 |
| 0023DE and 1023DE | Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations... tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo | Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations. tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), Cargo | \$7,944,508.00 | \$7,300,055.00 |

| SLIN | Description – FROM | Description – TO | Unit Price – FROM | Unit Price – TO |
|------|---|---|-------------------|-----------------|
| | Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system... One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager.... | Pouch Carrying Case , AC Adapter/Power Cord, Windows Vista Operating system... One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager.... | | |

2. As a result of incorporation of contract change APM001, the following informational note is administratively added to the descriptions for SLINs 0001AA, 1001AA, 0001CA, 1001CA, 0001EA, 1001EA, 0001FA 1001FA, 0009EA, 1009EA, 0009FA, 1009FA, 0015AA, 1015AA, 0015BA, 10015BA, 0015CA, and 1015CA:

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches.

B. As a result of this modification, there is no change in the total amount obligated under the contract.

C. All other terms and conditions are unchanged.

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 to Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0005AA

The CLIN extended description has changed from Imager for PC Input - General Bar Code (w/Data Conversion) Motorola DS3408-SF20005R, includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R to Imager for PC Input - General Bar Code (w/Data Conversion) Motorola DS3508-SR20005R, includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R.

SUBCLIN 0005BA

The CLIN extended description has changed from Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Motorola DS3407-DP2005R includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R to Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Motorola DS3508-DP2005R includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R.

SUBCLIN 0009EA

The CLIN extended description has changed from Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM4G1-2001-0400T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM4G1-2001-0400T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accomodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0009FA

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ4G1-2001-000R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ4G1-2001-000R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accomodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0015AA

The CLIN extended description has changed from Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 to Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0015BA

The CLIN extended description has changed from Radio Frequency Access Point (NEMA Enclosure).

Motorola Access Point Model AP-7131N-44040-FGR. Includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; NEMA Protective Enclosure Model V14126-C60-C-6; Coaxial cable adapters 25-72178-01; Antennas Model ML-2499-HPA3-01R to Radio Frequency Access Point (NEMA Enclosure). Motorola Access Point Model AP-7131N-44040-FGR. Includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; NEMA Protective Enclosure Model V14126-C60-C-6; Coaxial cable adapters 25-72178-01; Antennas Model ML-2499-HPA3-01R NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0015CA

The CLIN extended description has changed from Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 to Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0021AA

The CLIN extended description has changed from IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and software. Major components of the turnkey marking system include: Trotec Speedy 100 45Watt CO2 Class II laser marking/engraving unit with 24" x 12" x 6.7" work area, variable engraving speeds up to 70 inches per second; TBH Model 230 filtration system with HEPA filter and activated carbon cell filter element; Panasonic Model CF-52 Rugged laptop computer with CAC smart card reader; A2B Tracking Solutions' UID Comply! software and one-seat license preinstalled and preconfigured on laptop computer; Zebra ZM400 Stationary Bar Code Label Printer (CLIN0009CA) with data cable; Seagull Scientific Bartender label design/printing software Model E-3 installed on laptop; Microscan Model UID-DPM002 Desktop DPM verifier and verification software; Motorola Model DS3407-DP2005R handheld DPM imager (CLIN0005BA); Workplace Systems Model 12552-1 mobile workstation cart with 20 amp rated outlet strip and 25 ft power cord to IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and software. Major components of the turnkey marking system include: Trotec Speedy 100 45Watt CO2 Class II laser marking/engraving unit with 24" x 12" x 6.7" work area, variable engraving speeds up to 70 inches per second; TBH Model 230 filtration system with HEPA filter and activated carbon cell filter element; Panasonic Model CF-52 Rugged laptop computer with CAC smart card reader; A2B Tracking Solutions' UID Comply! software and one-seat license preinstalled and preconfigured on laptop computer; Zebra ZM400 Stationary Bar Code Label Printer (CLIN0009CA) with data cable; Seagull Scientific Bartender label design/printing software Model E-3 installed on laptop; Microscan Model UID-DPM002 Desktop DPM verifier and verification software; Motorola Model DS3508-DP2005R handheld DPM imager (CLIN0005BA); Workplace Systems Model 12552-1 mobile workstation cart with 20 amp rated outlet strip and 25 ft power cord.

SUBCLIN 0023DA

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit. (1 Kit) Kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-

WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit. (1 Kit) Kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$1,516.00 from \$18,693.00 to \$17,177.00.

SUBCLIN 0023DB

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations. Lot of 50 configuration. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations. Lot of 50 configuration. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT

15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$72,087.00 from \$893,816.00 to \$821,729.00.

SUBCLIN 0023DC

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations. Lot of 100 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations. Lot of 100 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$139,505.00 from \$1,724,473.00 to \$1,584,968.00.

SUBCLIN 0023DD

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit -

Lot of 250 EA Configurations. Lot of 250 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations. Lot of 250 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$341,181.00 from \$4,176,416.00 to \$3,835,235.00.

SUBCLIN 0023DE

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations. Lot of 500 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and

operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations. Lot of 500 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$644,453.00 from \$7,944,508.00 to \$7,300,055.00.

SUBCLIN 1001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 to Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1005AA

The CLIN extended description has changed from Imager for PC Input - General Bar Code (w/Data Conversion) Motorola DS3408-SF20005R, includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R to Imager for PC Input - General Bar Code (w/Data Conversion) Motorola DS3508-SR20005R, includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R.

SUBCLIN 1005BA

The CLIN extended description has changed from Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Motorola DS3407-DP2005R includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R to Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Motorola DS3508-DP2005R includes: 9 Ft USB Cable CBA-U12-C09ZAR; Desk Top Holder 20-67176-01R.

SUBCLIN 1009EA

The CLIN extended description has changed from Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM4G1-2001-0400T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accommodates label stock up to 4 inches in width. Print

density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code Label Printer with Installed 802.11g/i Wireless Communications Interface. Zebra Kit Number 123-100255. Includes ZM400 Printer Model Number ZM4G1-2001-0400T; 105850-006 (USB data cable); P1000219 (External print server network interface); Zebra Part No. 29652-006M (802.11g/i wireless interface). Accommodates label stock up to 4 inches in width. Print density 203 dpi, variable print speeds up to 10 inches per second. Thermal Transfer or Direct Thermal printing. US power cord included. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1009FA

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ4G1-2001-000R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accommodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included. to Stationary Bar Code and Gen2 RFID Label Printer/Encoder. Zebra Kit Number 123-100256. Includes RZ400 Printer/Encoder Model Number RZ4G1-2001-000R0, 105850-006 (USB data cable); P1000219 (External printer server network interface). Accommodates label stock up to 4 inches in width. "Value-Peel" option with liner take-up option installed. Print density 203 dpi, variable print speeds up to 10 inches per second at 203 dpi. Thermal Transfer or Direct Thermal printing. US power cord included NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches. ..

SUBCLIN 1015AA

The CLIN extended description has changed from Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 to Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1015BA

The CLIN extended description has changed from Radio Frequency Access Point (NEMA Enclosure). Motorola Access Point Model AP-7131N-44040-FGR. Includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; NEMA Protective Enclosure Model V14126-C60-C-6; Coaxial cable adapters 25-72178-01; Antennas Model ML-2499-HPA3-01R to Radio Frequency Access Point (NEMA Enclosure). Motorola Access Point Model AP-7131N-44040-FGR. Includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; NEMA Protective Enclosure Model V14126-C60-C-6; Coaxial cable adapters 25-72178-01; Antennas Model ML-2499-HPA3-01R NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1015CA

The CLIN extended description has changed from Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 to Radio Frequency Access Point (indoor environment). Motorola Access Point Model AP-7131N-44040-FGR, includes: Power Supply 50-14000-247R; AC Line Cord 50-16000-221R; Antenna ML-2452-APA2-01 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of

Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1021AA

The CLIN extended description has changed from IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and software. Major components of the turnkey marking system include: Trotec Speedy 100 45Watt CO2 Class II laser marking/engraving unit with 24" x 12" x 6.7" work area, variable engraving speeds up to 70 inches per second; TBH Model 230 filtration system with HEPA filter and activated carbon cell filter element; Panasonic Model CF-52 Rugged laptop computer with CAC smart card reader; A2B Tracking Solutions' UID Comply! software and one-seat license preinstalled and preconfigured on laptop computer; Zebra ZM400 Stationary Bar Code Label Printer (CLIN0009CA) with data cable; Seagull Scientific Bartender label design/printing software Model E-3 installed on laptop; Microscan Model UID-DPM002 Desktop DPM verifier and verification software; Motorola Model DS3407-DP2005R handheld DPM imager (CLIN0005BA); Workplace Systems Model 12552-1 mobile workstation cart with 20 amp rated outlet strip and 25 ft power cord to IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and software. Major components of the turnkey marking system include: Trotec Speedy 100 45Watt CO2 Class II laser marking/engraving unit with 24" x 12" x 6.7" work area, variable engraving speeds up to 70 inches per second; TBH Model 230 filtration system with HEPA filter and activated carbon cell filter element; Panasonic Model CF-52 Rugged laptop computer with CAC smart card reader; A2B Tracking Solutions' UID Comply! software and one-seat license preinstalled and preconfigured on laptop computer; Zebra ZM400 Stationary Bar Code Label Printer (CLIN0009CA) with data cable; Seagull Scientific Bartender label design/printing software Model E-3 installed on laptop; Microscan Model UID-DPM002 Desktop DPM verifier and verification software; Motorola Model DS3508-DP2005R handheld DPM imager (CLIN0005BA); Workplace Systems Model 12552-1 mobile workstation cart with 20 amp rated outlet strip and 25 ft power cord.

SUBCLIN 1023DA

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit. (1 Kit) Kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit. (1 Kit) Kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model

P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$1,516.00 from \$18,693.00 to \$17,177.00.

SUBCLIN 1023DB

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations. Lot of 50 configuration. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations. Lot of 50 configuration. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$72,087.00 from \$893,816.00 to \$821,729.00.

SUBCLIN 1023DC

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations. Lot of 100 Configurations. Each kit includes Williams Software Associates (WSA)

SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations. Lot of 100 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$139,505.00 from \$1,724,473.00 to \$1,584,968.00.

SUBCLIN 1023DD

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations. Lot of 250 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model

0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations. Lot of 250 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$341,181.00 from \$4,176,416.00 to \$3,835,235.00.

SUBCLIN 1023DE

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations. Lot of 500 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on GD/Itronix XR1 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 80GB Hard Drive, Office Dock (port replicator), Cargo Pouch Carrying Case, AC Adapter/Power Cord, Windows XP Professional Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3478-SFBU0100UR Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts. to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations. Lot of 500 Configurations. Each kit includes Williams Software Associates (WSA) SmarTrack Small Arms Room Management Software (CLIN0031HA) Version 1.0 (or latest version) installed, configured, and tested on General Dynamics GD8000 Fully Rugged Notebook Computer equipped with 2GB RAM Memory, CAC/SmartCard Reader, 160GB Hard Drive, Office Dock (port replicator), AC Adapter/Power Cord, Windows Vista Operating system. Kit also includes Topaz Systems Model T-LBK462-HSB-R Electronic Signature Pad, Microsoft Model P588-00022 Wired Optical Mouse for notebook computer, LaCie Model 301290 Ruggedized 250GB External Hard Drive. Symantec/Norton Ghost V14.0 (or latest) Software Part Number 13517991 installed/configured on notebook computer. One Dell Model E157FPT 15-inch Touch Screen POS-style monitor with power supply, cord and video connection cable. One Hewlett-Packard Laser Printer Model P2015d with USB Printer Cable. One Belkin F5U307-WHT 7-port USB Hub with Overcurrent Protection for connection of USB peripheral devices. One American Power Conversion (APC) Model BK500 Uninterruptable Power Supply. One Motorola Model DS3508-SR20005R Ruggedized Handheld Imager. Kit includes all cords, cables, and power supplies for connection and turnkey operation. Transit case includes

packing list of all components/contents, along with one complete commercial manual set (both printed and CD-ROM versions) for all hardware and software components of the system along with setup, interconnection, startup and operating instructions for the Small Arms Room Kit. Kit components all contained in two Make Pelican Model 0340 cases (CLIN0023DF), each with custom fitted closed-cell protective foam inserts.

The unit price amount has decreased by \$644,453.00 from \$7,944,508.00 to \$7,300,055.00.

(End of Summary of Changes)