


| AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT  |                                  |  | 1. CONTRACT ID CODE  | PAGE OF PAGES                                       |        |
|---|----------------------------------|--|--|---|--------|
|   |                                  |  | J  | 1   | 8      |
| 2. AMENDMENT/MODIFICATION NO.<br>P00010   | 3. EFFECTIVE DATE<br>10-Mar-2011 | 4. REQUISITION/PURCHASE REQ. NO.<br>W913AD9FYJTJ21A  |  | 5. PROJECT NO.(If applicable)                       |        |
| 6. ISSUED BY<br>NATIONAL CAPITAL REGION CONTRACTING CTR<br>2461 EISENHOWER AVENUE<br>ALEXANDRIA VA 22331-1700   | CODE<br>W91QUZ                   | 7. ADMINISTERED BY (If other than item 6)<br>DCMA DAYTON<br>GYOH DCMAE-GYOH<br>1725 VAN PATTON DRIVE<br>BLDG 30, AREA C<br>WPAFB OH 45433-5302                 |  | CODE  | S3605A |
| 8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)<br>CDO TECHNOLOGIES, INC.<br>KAREN SERMER-SHEIM<br>5200 SPRINGFIELD ST STE 320<br>DAYTON OH 45431-1272  |                                  |  | 9A. AMENDMENT OF SOLICITATION NO.  |   |        |
|   |                                  |  | 9B. DATED (SEE ITEM 11)  |   |        |
|   |                                  |  | X  | 10A. MOD. OF CONTRACT/ORDER NO.<br>W91QUZ-09-D-0042 |        |
|   |                                  |  | X  | 10B. DATED (SEE ITEM 13)<br>23-Jul-2009             |        |
| CODE 04ZD8  | FACILITY CODE                    |  |  |   |        |
| 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS   |                                  |  |  |   |        |
| <input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended.<br>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:<br>(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified. |                                  |  |  |   |        |
| 12. ACCOUNTING AND APPROPRIATION DATA (If required)   |                                  |  |  |   |        |
| 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.  |                                  |  |  |   |        |
| A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.  |                                  |  |  |   |        |
| B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).   |                                  |  |  |   |        |
| X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:<br>Part C-1(c), Changes.   |                                  |  |  |   |        |
| D. OTHER (Specify type of modification and authority)   |                                  |  |  |   |        |
| E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.   |                                  |  |  |   |        |
| 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)<br>Modification Control Number: gjmcgee11972<br>Incorporates CCPACD007. See continuation pages.   |                                  |  |  |   |        |
| Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.  |                                  |  |  |   |        |
| 15A. NAME AND TITLE OF SIGNER (Type or print)   |                                  |  | 16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)<br>JAMES E. JOHNSON / CONTRACTING OFFICER<br>TEL: 703-325-3430 EMAIL: james.johnson27@us.army.mil |   |        |
| 15B. CONTRACTOR/OFFEROR<br><br>(Signature of person authorized to sign)   | 15C. DATE SIGNED                 | 16B. UNITED STATES OF AMERICA<br>BY <br>(Signature of Contracting Officer) |  | 16C. DATE SIGNED<br>10-Mar-2011                     |        |

| AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT  |                   |  |  | 1. CONTRACT ID CODE   | PAGE OF PAGES |                  |
|---|-------------------|--|--|---|---------------|------------------|
|   |                   |  |  | J   | 1             | 8                |
| 2. AMENDMENT/MODIFICATION NO.   | 3. EFFECTIVE DATE | 4. REQUISITION/PURCHASE REQ. NO.<br>W13408FYTJ21A  |  | 5. PROJECT NO. (if applicable)  |               |                  |
| 6. ISSUED BY<br>NATIONAL CAPITAL REGION CONTRACTING CTR<br>3481 EISENHOWER AVENUE<br>ALEXANDRIA VA 22301-1700   | CODE: W91QLZ      | 7. ADMINISTERED BY (if other than item 6)<br>DCMA DAYTON<br>GYDH DCMAE-GYDH<br>1725 VAN PATTON DRIVE<br>BLDG 30, AREA C<br>WPAFB OH 45433-5302 |  | CODE: S3605A  |               |                  |
| 8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)<br>COD TECHNOLOGIES, INC<br>KAREN SEYMERSHEIM<br>5200 SPRINGFIELD ST STE 200<br>DAYTON OH 45451-1272  |                   |  |  | 9A. AMENDMENT OF SOLICITATION NO.   |               |                  |
|   |                   |  |  | 9B. DATED (SEE ITEM 11)   |               |                  |
|   |                   |  |  | X 10A. MOD. OF CONTRACT/ORDER NO.<br>W91QLZ-09-D-0042                           |               |                  |
|   |                   |  |  | X 10B. DATED (SEE ITEM 13)<br>23-Jul-2009                                       |               |                  |
| CODE: 04ZD8   | FACILITY CODE:    |  |  |   |               |                  |
| 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS   |                   |  |  |   |               |                  |
| <input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended.<br>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:<br>(a) By completing items 8 and 15, and returning _____ copies of the amendment, (b) By acknowledging receipt of this amendment on each copy of the offer submitted,<br>or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE<br>RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN<br>REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter,<br>provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified. |                   |  |  |   |               |                  |
| 12. ACCOUNTING AND APPROPRIATION DATA (If required)   |                   |  |  |   |               |                  |
| 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS<br>IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.   |                   |  |  |   |               |                  |
| A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.  |                   |  |  |   |               |                  |
| B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).   |                   |  |  |   |               |                  |
| X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:<br>Part C-1(c), Changes.   |                   |  |  |   |               |                  |
| D. OTHER (Specify type of modification and authority)   |                   |  |  |   |               |                  |
| E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.   |                   |  |  |   |               |                  |
| 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible)<br>Modification Control Number: gjmcgee11972<br>Incorporates CCPACD007. See continuation pages.  |                   |  |  |   |               |                  |
| Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.  |                   |  |  |   |               |                  |
| 15A. NAME AND TITLE OF SIGNER (Type or print)<br>Carei Miller, Contracts Manager  |                   |  |  | 16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)                      |               |                  |
| 15B. CONTRACTOR/OFFEROR<br><i>Carei Miller</i><br>(Signature of person authorized to sign)  |                   |  |  | 15C. DATE SIGNED<br>3/9/11  |               | 16C. DATE SIGNED |
|   |                   |  |  | 16B. UNITED STATES OF AMERICA<br>BY _____<br>(Signature of Contracting Officer) |               |                  |

EXCEPTION TO SF 30  
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)  
Prescribed by GSA  
FAR (48 CFR) 53.243

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**The following items are applicable to this modification:**SF 30 CONTD

A. This modification incorporates Contract Change Proposal (CCP) ACD007. As a result of incorporation of the CCP, the contract is changed as shown in **highlighted and or strikethrough** font in the following table:

| <b>SLIN</b>      | <b>Description – FROM</b>   | <b>Description - TO</b>  |
|------------------|---|--|
| 0001AA<br>1001AA | Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200<br><br>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches. | Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) <b>KT-85555-03R</b> ; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 <b>T</b><br><br>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches. |
| 0001AG<br>1001AG | HHT-A One pack of 12 tethered replacement styli Motorola KT-81680-03R   | HHT-A <b>tethered replacement styli (four packs of three) Motorola KT-85555-03R</b>  |
| 0001BA<br>1001BA | Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200  | Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) <b>KT-85555-03R</b> ; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 <b>T</b>  |
| 0001BG<br>1001BG | HHT-B One pack of 12 tethered replacement styli Motorola KT-81680-03R   | HHT-B <b>tethered replacement styli (four packs of three) Motorola KT-85555-03R</b>  |

|                  |  |   |
|------------------|--|---|
| 0001CA<br>1001CA | <p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches</p>   | <p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; <b>Apriva BT-200T</b></p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.</p>   |
| 0001DA<br>1001DA | <p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; <b>Apriva BT-200</b></p>  | <p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; <b>Apriva BT-200T</b></p>  |
| 0001EA<br>1001EA | <p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.</p> | <p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; <b>Apriva BT-200T</b></p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.</p> |

|                  |  |  |
|------------------|--|--|
| 0001FA<br>1001FA | Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11<br><br>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. | Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; <del>CAC Hardware Interface Reader SCR331</del> ; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; <del>Apriva BT-200T</del> |
|------------------|--|--|

B. As a result of this modification, there is no change in the total amount obligated under the contract.

C. All other terms and conditions are unchanged.

## SUMMARY OF CHANGES

### SECTION SF 1449 - CONTINUATION SHEET

#### SUPPLIES OR SERVICES AND PRICES

##### SUBCLIN 0001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches. to Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-85555-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

##### SUBCLIN 0001AG

The CLIN extended description has changed from HHT-A One pack of 12 tethered replacement styli

Motorola KT-81680-03R to HHT-A tethered replacement styli (four packs of three) Motorola KT-85555-03R.

#### SUBCLIN 0001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-85555-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T.

#### SUBCLIN 0001BG

The CLIN extended description has changed from HHT-B One pack of 12 tethered replacement styli Motorola KT-81680-03R to HHT-B tethered replacement styli (four packs of three) Motorola KT-85555-03R.

#### SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

#### SUBCLIN 0001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T.

#### SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

#### SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

#### SUBCLIN 1001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches. to Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC9090-KK0HCFQA660, includes: Spare Lithium Ion 2200 mAh Battery KT-21-61261-XX; 1-Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-85555-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

#### SUBCLIN 1001AG

The CLIN extended description has changed from HHT-A One pack of 12 tethered replacement styli

Motorola KT-81680-03R to HHT-A tethered replacement styli (four packs of three) Motorola KT-85555-03R.

#### SUBCLIN 1001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-KK0HCFQA661, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-85555-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T.

#### SUBCLIN 1001BG

The CLIN extended description has changed from HHT-B One pack of 12 tethered replacement styli Motorola KT-81680-03R to HHT-B tethered replacement styli (four packs of three) Motorola KT-85555-03R.

#### SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

#### SUBCLIN 1001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200 to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T.

#### SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

#### SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

(End of Summary of Changes)