

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT 1. Contract ID Code Firm Fixed Price Page 1 Of 5

2. Amendment/Modification No. P00024 3. Effective Date 19 JAN 2014 4. Requisition/Purchase Req No. SEE SCHEDULE 5. Project No. (If applicable)

6. Issued By Code W52P1J 7. Administered By (If other than Item 6) Code S3605A
 ARMY CONTRACTING COMMAND - RI
 TRISHA M. TAYLOR
 ROCK ISLAND, IL 61299-8000
 BLDGS 60 & 390
 DCMA DAYTON
 AREA C, BUILDING 30
 1725 VAN PATTON DRIVE
 WRIGHT-PATTERSON AFB, OH 45433-5302
 EMAIL: TRISHA.M.TAYLOR@US.ARMY.MIL

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)
 CDO TECHNOLOGIES INC.
 5200 SPRINGFIELD ST STE 320
 DAYTON, OH 45431-1272
 9A. Amendment Of Solicitation No.
 9B. Dated (See Item 11)
 10A. Modification Of Contract/Order No.
 W91Q0Z-09-D-0042
 10B. Dated (See Item 13)
 2012MAY25
 Code 04ZD8 Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers
 is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:
 (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)
 NO CHANGE TO OBLIGATION DATA

13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS
 It Modifies The Contract/Order No. As Described In Item 14.

A. This Change Order is Issued Pursuant To: The Changes Set Forth In Item 14 Are Made In The Contract/Order No. In Item 10A.
 B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(h).
 C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: 52.212-4 (c)
 D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print) Melissa Brown, Contracts Mgr 16A. Name And Title Of Contracting Officer (Type or print) JUSTIN D. TRINE JUSTIN.TRINE@US.ARMY.MIL (309) 782-5096
 15B. Contractor/Offeror (Signature of person authorized to sign) 15C. Date Signed 1-10-14 16B. United States Of America (Signature of Contracting Officer) 16C. Date Signed 19 JAN 2014

NSN 7540-01-152-8070 PREVIOUS EDITIONS UNUSABLE

30-105-02

STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. Contract ID Code
Firm Fixed Price

Page 1 Of 5

2. Amendment/Modification No.

P00024

3. Effective Date

2014JAN19

4. Requisition/Purchase Req No.

SEE SCHEDULE

5. Project No. (If applicable)

6. Issued By

ARMY CONTRACTING COMMAND - RI
TRISHA M. TAYLOR
ROCK ISLAND, IL 61299-8000
BLDGS 60 & 390

EMAIL: TRISHA.M.TAYLOR@US.ARMY.MIL

Code

W52P1J

7. Administered By (If other than Item 6)

DCMA DAYTON
AREA C, BUILDING 30
1725 VAN PATTON DRIVE
WRIGHT-PATTERSON AFB, OH 45433-5302

Code

S3605A

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)

CDO TECHNOLOGIES INC.
5200 SPRINGFIELD ST STE 320
DAYTON, OH 45431-1272

9A. Amendment Of Solicitation No.

9B. Dated (See Item 11)

10A. Modification Of Contract/Order No.

W91QUZ-09-D-0042

10B. Dated (See Item 13)

2012MAY25

Code 04ZD8

Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

NO CHANGE TO OBLIGATION DATA

**13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS
It Modifies The Contract/Order No. As Described In Item 14.**

- A. This Change Order is Issued Pursuant To: _____ The Changes Set Forth In Item 14 Are Made In _____
The Contract/Order No. In Item 10A.
- B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).
- C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: 52.212-4 (c)
- D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)		16A. Name And Title Of Contracting Officer (Type or print)	
		JUSTIN D. TRINE JUSTIN.TRINE@US.ARMY.MIL (309)782-5096	
15B. Contractor/Offeror	15C. Date Signed	16B. United States Of America	16C. Date Signed
_____ (Signature of person authorized to sign)		By _____ /SIGNED/ (Signature of Contracting Officer)	2014JAN19

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 5**

PIIN/SIIN W91QUZ-09-D-0042

MOD/AMD P00024

Name of Offeror or Contractor: CDO TECHNOLOGIES INC.

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: TRISHA M. TAYLOR
Buyer Office Symbol/Telephone Number: CCRC-TB/(309)782-2836
Type of Contract: Firm Fixed Price
Kind of Contract: Service Contracts
Type of Business: Large Business Performing in U.S.
Surveillance Criticality Designator: C
Contract Expiration Date: 2014JUL23

*** End of Narrative A0000 ***

The purpose of modification (P00024) is to do the following:

1. Incorporate the following narrative:

The Period of Performance (PoP) for Technical Engineering Services (TES) cannot exceed 12 months beyond contract expiration (23 July 2014) for any task orders, to include any option periods, beyond 23 July 2015.

2. In accordance with CCP ACD025, dated January 10, 2014, the following SLIN descriptions have changed:

SLIN 1001AAFrom:

Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC75A0-P30SWQQA960. Comes with: 802.11a/b/g/i (WPA2) + BlueTooth and GPS; Full VGA display (640x480); Operating 3600 mAh battery; Windows Mobile Embedded 6.5.x; 256MB RAM/1GB Flash; 44-key abbreviated QWERTY keyboard; SE4500-SR 1D/2D imager. Includes: Spare Lithium Ion, 3600 mAh Battery BTRY-MC7XEAB00-NI; 1-Slot Serial Cradle Kit CRD7X00-100RES; USB Cable 25-68596-01R; Spare Tethered Stylus (3) STYLUS-00002-03R; USB Communications cup and cable 25-102775-02R; 2GB MicroSD Memory Card; Technology Solutions Ltd 1060-02-SO-MC75-CSC CAC Reader (Snap-on sleeve) w/Operating Temperature -10 degree to 50 degree C.

OPTIONAL: Apriva BT200-T CAC Reader (tether or BlueTooth) w/Operating Temperature -30 degree to 60 degree C may be specified in lieu of the Technology Solutions Ltd 1060-02-SO-MC75-CSC CAC Reader. Apriva BT-200T includes USB cable, USB to mini-USB adapter, and USB wall charger (Phihong PSM03A-050Q).

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.

To:

Hand Held Barcode Terminal (HHT-A) a with Abbreviated Keypad and Wireless (802.11g/i) Communications Motorola MC75A0-P30SWQQA960. Comes with: 802.11a/b/g/i (WPA2) + BlueTooth and GPS; Full VGA display (640x480); Operating 3600 mAh battery; Windows Mobile Embedded 6.5.x; 256MB RAM/1GB Flash; 44-key abbreviated QWERTY keyboard; SE4500-SR 1D/2D imager. Includes: Spare Lithium Ion, 3600 mAh Battery BTRY-MC7XEAB00-NI; 1-Slot Serial Cradle Kit CRD7X00-100RES; USB Cable 25-68596-01R; Spare Tethered Stylus (3) STYLUS-00002-03R; USB Communications cup and cable 25-102775-02R; 2GB (or larger) MicroSD Memory Card; Technology Solutions Ltd 1060-02-SO-MC75-CSC CAC Reader (Snap-on sleeve) w/Operating Temperature -10 degree to 50 degree C.

OPTIONAL: Apriva BT200-T CAC Reader (tether or BlueTooth) w/Operating Temperature -30 degree to 60 degree C may be specified in lieu of the Technology Solutions Ltd 1060-02-SO-MC75-CSC CAC Reader. Apriva BT-200T includes USB cable, USB to mini-USB adapter, and USB wall charger (Phihong PSM03A-050Q).

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.

SLIN 1001BAFrom:

Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC75A0-P30SWQQA961, Comes with: Full VGA display (640x480); Operating 3600 mAh battery; Windows Mobile Embedded 6.5.x; 256MB RAM/1GB Flash; 44-

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 5****PIIN/SIIN** W91QUZ-09-D-0042**MOD/AMD** P00024**Name of Offeror or Contractor:** CDO TECHNOLOGIES INC.

key abbreviated QWERTY keyboard;SE4500-SR 1D/2D imager Includes: Spare Lithium Ion 3600 mAh Battery BTRY-MC7XEAB00-NI; 1-Slot Serial Cradle Kit CRD7X00-100RES; USB Cable 25-6438596-01R; Spare Tethered Stylus (3) STYLUS-00002-03R; USB Communications cup and cable 25-102775-02R; 2GB MicroSD Memory Card Technology Solutions Ltd 1060-02-SO- MC75-CSC CAC Reader (Snap-on sleeve) w/Operating Temperature -10 degree to 50 degree C.

To:

Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Motorola MC75A0-P30SQQA961, Comes with: Full VGA display (640x480); Operating 3600 mAh battery; Windows Mobile Embedded 6.5.x; 256MB RAM/1GB Flash; 44-key abbreviated QWERTY keyboard; SE4500-SR 1D/2D imager Includes: Spare Lithium Ion 3600 mAh Battery BTRY-MC7XEAB00-NI; 1-Slot Serial Cradle Kit CRD7X00-100RES; USB Cable 25-6438596-01R; Spare Tethered Stylus (3) STYLUS-00002-03R; USB Communications cup and cable 25-102775-02R; 2GB (or larger) MicroSD Memory Card Technology Solutions Ltd 1060-02-SO- MC75-CSC CAC Reader (Snap-on sleeve) w/Operating Temperature -10 degree to 50 degree C.

SLIN 1001CA**From:**

Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed Motorola MC9190-G30SWEQA660 w/SE4500-SR imager, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

To:

Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed Motorola MC9190-G30SWEQA660 w/SE4500-SR imager, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB (or larger) SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

SLIN 1001DA**From:**

Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9100-G30SWEQA661 w/SE4500-SR imager, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 5
	PIIN/SIIN W91QUZ-09-D-0042	MOD/AMD P00024
Name of Offeror or Contractor: CDO TECHNOLOGIES INC.		

To:

Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9100-G30SWEQA661 w/SE4500-SR imager, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB (or larger) SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

SLIN 1001EA

From:

Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9190- G90SWEQA660 w/SE4600 extended range imager, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

To:

Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9190- G90SWEQA660 w/SE4600 extended range imager, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB (or larger) SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

SLIN 1001FA

From:

Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications Motorola MC9190-G50SWEQA660 w/SE4500-HD (DPM) imager, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W91QUZ-09-D-0042 MOD/AMD P00024	Page 5 of 5
Name of Offeror or Contractor: CDO TECHNOLOGIES INC.		

To:

Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications Motorola MC9190-G50SWEQA660 w/SE4500-HD (DPM) imager, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Windows Embedded Handheld 6.5.x; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB (or larger) SD/MMC Memory Card (installed in HHT); Apriva BT-200T with USB wall charger (Phihong PSM03A-050Q).

OPTIONAL: The Motorola ADP9000-120R may be substituted for the ADP9000-110R listed above upon request with no change in price.

Substitution must be noted on order. The Motorola ADP9000-120R features a permanently attached USB cable for communications with, and charging of the Apriva BT200-T CAC reader.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

3. Except as provided herein, the balance of those terms, conditions, and requirements under Contract Number W91QUZ-09-D-0042, as modified to date, shall remain unchanged and in full force and effect.

*** END OF NARRATIVE A0007 ***