


AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	12
2. AMENDMENT/MODIFICATION NO. P00007	3. EFFECTIVE DATE 07-Oct-2010	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21B		5. PROJECT NO.(If applicable)	
6. ISSUED BY NATIONAL CAPITAL REGION CONTRACTING CTR 2461 EISENHOWER AVENUE ALEXANDRIA VA 22331-1700	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMC COMBAT VEHICLES DETROIT 6501 EAST ELEVEN MILE, BLDG 231 ATTN: DCMAG-MD WARREN MI 48397-5000		CODE	S2305A
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) LOWRY HOLDING COMPANY, INC. 9420 MALTBY RD BRIGHTON MI 48116-8801			9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
			X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0043	
			X	10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE 8Y716	FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c), Changes.					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee103661 See continuation page(s).					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) JAMES E. JOHNSON / CONTRACTING OFFICER TEL: 703-325-3430 EMAIL: james.johnson27@us.army.mil		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY 		16C. DATE SIGNED 07-Oct-2010	
(Signature of person authorized to sign)		(Signature of Contracting Officer)			

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT CODE	PAGE OF PAGES	
			1	1	2
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUESTING PURCHASER/REQ. NO.		5. PROJECT NO. (if applicable)	
		WASREK 20-0011615			
6. ISSUED BY	CODE	7. ADMINISTERED BY (Last name, first name)		CODE	
	W910202	JILL OCKEAT VEHICLES DIVISION 2001 EAST MAIN STREET - 4TH FL. OF 401 N. DODD ST. WARREN MI 48090		S2505A	
8. NAME AND ADDRESS OF CONTRACTOR (Name, Street, County, State and Zip Code)			9A. AMENDMENT OF SOLICITATION NO.		
PACIFIC TRUCK COMPANY, INC 1400 WALTON ST 3RD FLOOR MI 48090			9B. DATE OF NEXT ITEM		
			<input checked="" type="checkbox"/> 10A. MOD. OF CONTRACT ORDER NO. W910202-08-000000		
			10B. DATED (SEE ITEM 10) <input checked="" type="checkbox"/> 23-SEP-2010		
CODE	8Y71E	11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS			
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 11. The item and date specified for receipt of offer. <input type="checkbox"/> is corrected. <input type="checkbox"/> is not established.					
(Contractor acknowledges receipt of the amendment prior to the time a bid is submitted applicable to the solicitation amendment and to use the following methods: (a) By completing the attached and returning a copy of the amendment to the contracting officer; this amendment is a rough copy of the offer submitted, or (b) by separate letter or telegram which includes a reference to the modification and amendment number. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE OFFICE SIGNATED FOR THE RECEIPT OF AMENDMENTS TO THE NOTICE AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. It is your obligation to submit an offer already submitted, or a change or a modification telegram or letter, provided within a copy of the notice received to the contractor, and it received prior to the opening time and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (if required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS.					
13.1 MODIFIED CONTRACT ORDER NO. AS APPLICABLE TO ITEM 14.					
14. THIS CHANGE ORDER IS ISSUED IN RESPONSE TO: (Specify whether) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER: 00					
15. THIS ABOVE NUMBERED CONTRACT ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as change in pricing in the appropriation data, and SET FORTH IN ITEM 14) PURSUANT TO THE AUTHORITY OF FAR 27.105(f)					
<input checked="" type="checkbox"/> 16. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(a), Changes.					
17. OTHER (Specify type of modification and authority)					
18. IMPORTANT (Contractor: <input type="checkbox"/> Is not. <input checked="" type="checkbox"/> Is required to sign this document and return 1 copies to the issuing office.)					
19. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by GPO section headings, including solicitation/contract or task number where feasible)					
Modification Control Number: gmp00100001 See continuation page(s)					
Accept as provided herein, all terms and conditions of the document referenced in Item 9A, and all amendments thereto, terms and conditions, and all taxes and duties.					
20. NAME AND TITLE OF SIGNER (Type or print)			20A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
<i>Michelle Maria M... [Signature]</i>			TITLE: ENR/10		
21. CONTRACTOR'S APPROVAL			21B. UNITED STATES OF AMERICA		21C. DATE SIGNED
<i>[Signature]</i> (Signature of Contractor Official)			BY:		DATE:
EXCEPTION TO NOTICE			30-103-06		
APPROVED BY OIRM 11-4			STANDARD FORM 70 (Rev. 11-85) Prescribed by GSA FAR (48 CFR) 53.242		

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:BLOCK 14 CONT'D

A. This modification incorporates Contract Change Proposal (CCPs) No. ALO003, ALO004 and ALO005 and PM J-AIT contract change APM001.

B. As a result of incorporation of the CCPs ALO003, ALO004, and ALO005, descriptions and/or unit prices for the SLINs listed in the following table are changed as shown. Changes are indicated in red font.

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price – TO
0005AA and 1005AA	Imager for PC Input - General Bar Code (w/Data Conversion) Imager for PC Input - General Bar Code (w/Data Conversion), Motorola DS3408 Imager	Imager for PC Input - General Bar Code (w/Data Conversion) Imager for PC Input - General Bar Code (w/Data Conversion), Motorola DS3508-SR20005R Imager; Motorola CBA-U14-C09ZAR USB Cable: Power Plus Connector, 9ft. Coiled, Quantity 1; and Motorola 20-67176-01R Desk Top Holder, Quantity 1.		
0005BA and 1005BA	Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion), Motorola DS3407 Imager	Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion) Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion), Motorola DS3508-DP20005R Imager Motorola CBA-U14-C09ZAR USB Cable: Power Plus Connector, 9ft. Coiled, Quantity 1; and Motorola 20-67176-01R Desk Top Holder, Quantity 1.		
0023DA and 1023DA	Transit Case Configuration, Small Arms Room Kit, Lowry Transit Case PN 333-0008, Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1; Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with....	Transit Case Configuration, Small Arms Room Kit, Lowry Transit Case PN 333-0008, Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1; Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with....	\$36,595.00	\$17,315.00
0023DB	Transit Case Configuration,	Transit Case Configuration,	\$1,829,769.00	\$847,955.00

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price – TO
and 1023DB	Small Arms Room Kit - Lot of 50 EA Configurations, Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with....	Small Arms Room Kit - Lot of 50 EA Configurations, Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with....		
0023DC and 1023DC	Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with....	Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with....	\$3,659,539.00	\$1,660,510.00
0023DD and 1023DD	Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with....	Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with....	\$9,148,847.00	\$4,062,775.00
0023DE and 1023DE	Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations, , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1	Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations, , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix	\$18,297,694.00	\$7,948,545.00

SLIN	Description – FROM	Description – TO	Unit Price – FROM	Unit Price – TO
	Ruggedized Notebook Computer with....	GD8000 Rugged Computer with....		

C. As a result of incorporation of contract change APM001, the following informational note is administratively added to the descriptions for SLINs 0001AA, 1001AA, 0001CA, 1001CA, 0001EA, 1001EA, 0001FA 1001FA, 0009EA, 1009EA, 0009FA, 1009FA, 0015AA, 1015AA, 0015BA, 10015BA, 0015CA, and 1015CA:

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches.

D. As a result of this modification, there is no change in the total amount obligated under the contract.

E. All other terms and conditions are unchanged.

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications, Non-Incendive, Motorola MC9090K, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications, Non-Incendive, Motorola MC9090K, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsHand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsHand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0005AA

The CLIN extended description has changed from Imager for PC Input - General Bar Code (w/Data Conversion)Imager for PC Input - General Bar Code (w/Data Conversion), Motorola DS3408 Imager to Imager for PC Input - General Bar Code (w/Data Conversion)Imager for PC Input - General Bar Code (w/Data Conversion), Motorola DS3508-SR20005R Imager; Motorola CBA-U14-C09ZAR USB Cable: Power Plus Connector, 9ft. Coiled, Quantity 1; and Motorola 20-67176-01R Desk Top Holder, Quantity 1.

SUBCLIN 0005BA

The CLIN extended description has changed from Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion), Motorola DS3407 Imager to Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion), Motorola DS3508-DP20005R ImagerMotorola CBA-U14-C09ZAR USB Cable: Power Plus Connector, 9ft. Coiled, Quantity 1; and Motorola 20-67176-01R Desk Top Holder, Quantity 1.

SUBCLIN 0009EA

The CLIN extended description has changed from Stationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsStationary Bar Code Label Printer with 802.11g/i Wireless Communications, Zebra ZM4G1-2001-0400T to Stationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsStationary Bar Code Label Printer with 802.11g/i Wireless Communications, Zebra ZM4G1-2001-0400T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0009FA

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/Encoder Stationary Bar Code and Gen2 RFID Label Printer/Encoder, Zebra RZ4G1-2001-000R0 to Stationary Bar Code and Gen2 RFID Label Printer/Encoder Stationary Bar Code and Gen2 RFID Label Printer/Encoder, Zebra RZ4G1-2001-000R0 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0015AA

The CLIN extended description has changed from Radio Frequency Access Point (indoor environment) Radio Frequency Access Point (indoor environment), Motorola AP7131 to Radio Frequency Access Point (indoor environment) Radio Frequency Access Point (indoor environment), Motorola AP7131 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0015BA

The CLIN extended description has changed from Radio Frequency Access Point (NEMA Enclosure) Radio Frequency Access Point (NEMA Enclosure), Motorola AP7131 to Radio Frequency Access Point (NEMA Enclosure) Radio Frequency Access Point (NEMA Enclosure), Motorola AP7131 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0015CA

The CLIN extended description has changed from Radio Frequency Gateway Radio Frequency Gateway, Motorola AP7131 to Radio Frequency Gateway Radio Frequency Gateway, Motorola AP7131 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0023DA

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit Transit Case Configuration, Small Arms Room Kit, Lowry Transit Case PN 333-0008, Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1; Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software, Qty 1; Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals. to Transit Case Configuration, Small Arms Room Kit Transit Case Configuration, Small Arms Room Kit, Lowry Transit Case PN 333-0008, Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1; Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software, Qty 1; Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.

The unit price amount has decreased by \$19,280.00 from \$36,595.00 to \$17,315.00.

SUBCLIN 0023DB

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations, Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 50 to Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations, Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 50.

The unit price amount has decreased by \$981,814.00 from \$1,829,769.00 to \$847,955.00.

SUBCLIN 0023DC

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 100 to Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 100.

The unit price amount has decreased by \$1,999,029.00 from \$3,659,539.00 to \$1,660,510.00.

SUBCLIN 0023DD

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 250 to Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard

Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 250.

The unit price amount has decreased by \$5,086,072.00 from \$9,148,847.00 to \$4,062,775.00.

SUBCLIN 0023DE

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations, , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 500 to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations, , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 500.

The unit price amount has decreased by \$10,349,149.00 from \$18,297,694.00 to \$7,948,545.00.

SUBCLIN 1001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications, Non-Incendive, Motorola MC9090K, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications, Non-Incendive, Motorola MC9090K, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended

Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsHand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsHand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1005AA

The CLIN extended description has changed from Imager for PC Input - General Bar Code (w/Data Conversion)Imager for PC Input - General Bar Code (w/Data Conversion), Motorola DS3408 Imager to Imager for PC Input - General Bar Code (w/Data Conversion)Imager for PC Input - General Bar Code (w/Data Conversion), Motorola DS3508-SR20005R Imager; Motorola CBA-U14-C09ZAR USB Cable: Power Plus Connector, 9ft. Coiled, Quantity 1; and Motorola 20-67176-01R Desk Top Holder, Quantity 1.

SUBCLIN 1005BA

The CLIN extended description has changed from Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion), Motorola DS3407 Imager to Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion), Motorola DS3508-DP20005R ImagerMotorola CBA-U14-C09ZAR USB Cable: Power Plus Connector, 9ft. Coiled, Quantity 1; and Motorola 20-67176-01R Desk Top Holder, Quantity 1.

SUBCLIN 1009EA

The CLIN extended description has changed from Stationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsStationary Bar Code Label Printer with 802.11g/i Wireless Communications, Zebra ZM4G1-2001-0400T to Stationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsStationary Bar Code Label Printer with 802.11g/i Wireless Communications, Zebra ZM4G1-2001-0400T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1009FA

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/Encoder Stationary Bar Code and Gen2 RFID Label Printer/Encoder, Zebra RZ4G1-2001-000R0 to Stationary Bar Code and Gen2 RFID Label Printer/Encoder Stationary Bar Code and Gen2 RFID Label Printer/Encoder, Zebra RZ4G1-2001-000R0 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1015AA

The CLIN extended description has changed from Radio Frequency Access Point (indoor environment) Radio Frequency Access Point (indoor environment), Motorola AP7131 to Radio Frequency Access Point (indoor environment) Radio Frequency Access Point (indoor environment), Motorola AP7131 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1015BA

The CLIN extended description has changed from Radio Frequency Access Point (NEMA Enclosure) Radio Frequency Access Point (NEMA Enclosure), Motorola AP7131 to Radio Frequency Access Point (NEMA Enclosure) Radio Frequency Access Point (NEMA Enclosure), Motorola AP7131 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1015CA

The CLIN extended description has changed from Radio Frequency Gateway Radio Frequency Gateway, Motorola AP7131 to Radio Frequency Gateway Radio Frequency Gateway, Motorola AP7131 NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1023DA

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit Transit Case Configuration, Small Arms Room Kit, Lowry Transit Case PN 333-0008, Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1; Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software, Qty 1; Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals. to Transit Case Configuration, Small Arms Room Kit Transit Case Configuration, Small Arms Room Kit, Lowry Transit Case PN 333-0008, Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1; Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software, Qty 1; Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.

The unit price amount has decreased by \$19,280.00 from \$36,595.00 to \$17,315.00.

SUBCLIN 1023DB

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations,

Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 50 to Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit - Lot of 50 EA Configurations, Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 50.

The unit price amount has decreased by \$981,814.00 from \$1,829,769.00 to \$847,955.00.

SUBCLIN 1023DC

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 100 to Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 100.

The unit price amount has decreased by \$1,999,029.00 from \$3,659,539.00 to \$1,660,510.00.

SUBCLIN 1023DD

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 250 to Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 250.

The unit price amount has decreased by \$5,086,072.00 from \$9,148,847.00 to \$4,062,775.00.

SUBCLIN 1023DE

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations, , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3478 Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GoBook XR1 Ruggedized Notebook Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 500 to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations, , Includes ,Lowry Transit Case PN 333-0008,(Includes Lowry Transit Case Model SG-LC-F, Motorola DS3508-DP20005R Bar Code Imager, Qty 1;Dell 15 inch Touchscreen Flat Panel Monitor, Qty 1; HP Portable Laser Printer, Qty 1; Itronix GD8000 Rugged Computer with Williams Software Associates, Smartrack Small Arms Room Software , Qty 1;Belkin USB Hub, Qty 1; SCM CAC Card Reader, Qty 1; Topaz Signature Pad, Qty 1; Databook Back Up Hard Drive, Qty 1; APC BK500 Uninterrupted Power supply, Qty 1; Packing list, Installation manual and individual hardware manuals.), Qty 500.

The unit price amount has decreased by \$10,349,149.00 from \$18,297,694.00 to \$7,948,545.00.

(End of Summary of Changes)