


AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	15
2. AMENDMENT/MODIFICATION NO. P00014	3. EFFECTIVE DATE 02-Apr-2012	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21B		5. PROJECT NO.(If applicable)	
6. ISSUED BY ARMY CONTRACTING COMMAND-NCR 200 STOVALL STREET ALEXANDRIA VA 22332-1800	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMC COMBAT VEHICLES DETROIT 6501 EAST ELEVEN MILE, BLDG 231 ATTN: DCMAG-MD WARREN MI 48397-5000		CODE	S2305A
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) LOWRY HOLDING COMPANY, INC. 9420 MALTBY RD BRIGHTON MI 48116-8801			9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
			X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0043	
			X	10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE 8Y716	FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended.					
<p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:</p> <p>(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
X D. OTHER (Specify type of modification and authority) Bilateral modification, pursuant to Part C-1(c), Changes.					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee121056 Incorporates CCP ALO009, Revision 2, and administratively removes duplicative text in descriptions in the CCP. See continuation pages.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) ALYSSA A. MURRAY / CONTRACTING OFFICER TEL: 703-325-5516 EMAIL: alyssa.murray@us.army.mil		
15B. CONTRACTOR/OFFEROR (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY <i>Alyssa A. Murray</i> (Signature of Contracting Officer)		16C. DATE SIGNED 09-Apr-2012

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES	
				J	1	15
2. AMENDMENT/MODIFICATION NO.		3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)	
		02-Apr-2012	W913AD6FYTJ21B			
6. ISSUED BY		CODE	7. ADMINISTERED BY (If other than item 6)		CODE	
ARMY CONTRACTING COMMAND-NCR 200 STOWALL STREET ALEXANDRIA VA 22302-1800		W913QUZ	DCMC COMBAT VEHICLES DETROIT 6501 EAST ELEVEN MILE BLDG 231 ATTN: DCMAG-MD WARREN MI 48397-5000		S2305A	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				9A. AMENDMENT OF SOLICITATION NO.		
LOWRY HOLDING COMPANY, INC. 9420 MALTBY RD BRIGHTON MI 48116-8001						
				9B. DATED (SEE ITEM 11)		
				X 10A. MOD. OF CONTRACT/ORDER NO. W913QUZ-09-D-0043		
				X 10B. DATED (SEE ITEM 13) 23-Jul-2009		
CODE 8Y716		FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended.						
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
X D. OTHER (Specify type of modification and authority) Bilateral modification, pursuant to Part C-1(c), Changes.						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee121056 Incorporates CCP ALC009, Revision 2, and administratively removes duplicative text in descriptions in the CCP. See continuation pages.						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
Mike Lowry, President				MURRAY.ALYSSA		
15B. CONTRACTOR/OFFEROR				15C. DATE SIGNED		16B. UNITED STATES OF AMERICA
				April 4, 2012		A.A.1229597848
(Signature of person authorized to sign)				(Signature of Contracting Officer)		Digitally signed by MURRAY.ALYSSA.A.1229597848 cn=MURRAY.ALYSSA.A.1229597848, o=US Government, ou=DoD, ou=PKI, ou=USA, cn=MURRAY.ALYSSA.A.1229597848 Date: 2012.04.05 11:00:55 -0400

EXCEPTION TO SF 30
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:SF 30 CONT'D

A. This modification incorporates CCP ALO009, Revision 2, submitted 16 Mar 2012 and administratively removes duplicative wording in descriptions for SLINs included in the CCP.

B. As a result of incorporation of CCP ALO009, Revision 2, and removal of duplicative wording, SLIN descriptions are changed as **highlighted** in the following table:

SLIN	Description – FROM	Description – TO
0001CA 1001CA	<p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed</p> <p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter.</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.</p>	<p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, Motorola MC9190-G30SWEQA660, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer.</p> <p>– NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter.</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches.</p>

SLIN	Description – FROM	Description – TO
0001CB 1001CB	HHT-C Holster and Shoulder Strap HHT-C Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030	HHT-C Holster and Shoulder Strap HHT-C Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order.
0001CE 1001CE	HHT-C Multiple (4) Battery Charger HHT-C Multiple (4) Battery Charger, Motorola SAC9000 Charger	HHT-C Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger
0001CF 1001CF	HHT-C Transparent, Flexible Dust Cover HHT-C Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display	HHT-C Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display

SLIN	Description – FROM	Description – TO
0001DA 1001DA	<p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)</p> <p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability), Motorola MC9000-GK0HCEQA661, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter.</p>	<p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability), and Win Mobile 6.5.x Installed,</p> <p>processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, Motorola MC9100-G30SWEQA661, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer.</p> <p>– NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter.</p>
0001DB 1001DB	<p>HHT-D Holster and Shoulder Strap</p> <p>HHT-D Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030</p>	<p>HHT-D Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030</p> <p>Shoulder strap 58-40000-007R and holster, HHT-D Holster for CAC (tethered) consisting of</p> <ul style="list-style-type: none"> – Operations Case (holds MC9XXX, CAC reader and Adapter). Part number SG-MC9027242-01R – Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. Part number S5716DWSP.
0001DE 1001DE	<p>HHT-D Multiple (4) Battery Charger</p> <p>HHT-D Multiple (4) Battery Charger, Motorola SAC9000 Charger</p>	<p>HHT-D Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger</p>
0001DF 1001DF	<p>HHT-D Transparent, Flexible Dust Cover</p> <p>HHT-D Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display</p>	<p>HHT-D Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display</p>

SLIN	Description – FROM	Description – TO
0001EA 1001EA	<p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)</p> <p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter.</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.</p>	<p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications and Win Mobile 6.5.x Installed (Desired - Reference Part D, paragraph 4.1.6)</p> <p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4600 scan engine, VGA touch screen, Motorola MC9190-G90SWEQA660, Motorola CRD9000-110SES, Apriva BT200 CAC Reader with charging adapter.</p> <p>Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer, MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer.</p> <p>– NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter.</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches.</p>

SLIN	Description – FROM	Description – TO
0001EB 1001EB	HHT-E Holster and Shoulder Strap HHT-E Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030	HHT-E Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order.
0001EE 1001EE	HHT-E Multiple (4) Battery Charger HHT-E Multiple (4) Battery Charger, Motorola SAC9000 Charger	HHT-E Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger
0001EF 1001EF	HHT-E Semi-transparent, Flexible Dust Cover HHT-E Semi-transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display	HHT-E Semi-transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display

SLIN	Description – FROM	Description – TO
0001FA 1001FA	<p>Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications</p> <p>Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter.</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.</p>	<p>Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500-HD (DPM) scan engine, VGA touch screen, Motorola MC9190-G50SWEQA660, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer.</p> <p>– NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter.</p> <p>NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches.</p>
0001FB 1001FB	<p>HHT-F Holster and Shoulder Strap</p> <p>HHT-F Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030</p>	<p>HHT-F Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030</p> <p>Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT.</p> <p>– NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order.</p>

SLIN	Description – FROM	Description – TO
0001FE 1001FE	HHT-F Multiple (4) Battery Charger HHT-F Multiple (4) Battery Charger, Motorola SAC9000 Charger	HHT-F Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger
0001FF 1001FF	HHT-F Transparent, Flexible Dust Cover HHT-F Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display	HHT-F Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display

C. As a result of this modification, there is no change in the total amount obligated under the contract.

D. All other terms and conditions are unchanged.

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, Motorola MC9190-G30SWEQA660, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001CB

The CLIN extended description has changed from HHT-C Holster and Shoulder Strap HHT-C Holster and

Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-C Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order..

SUBCLIN 0001CE

The CLIN extended description has changed from HHT-C Multiple (4) Battery ChargerHHT-C Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-C Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 0001CF

The CLIN extended description has changed from HHT-C Transparent, Flexible Dust CoverHHT-C Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-C Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 0001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability), Motorola MC9000-GK0HCEQA661, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability), and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, Motorola MC9100-G30SWEQA661, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter..

SUBCLIN 0001DB

The CLIN extended description has changed from HHT-D Holster and Shoulder StrapHHT-D Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-D Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, HHT-D Holster for CAC (tethered) consisting of – Operations Case (holds MC9XXX, CAC reader and Adapter). Part number SG-MC9027242-01R – Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. Part number S5716DWSP..

SUBCLIN 0001DE

The CLIN extended description has changed from HHT-D Multiple (4) Battery Charger HHT-D Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-D Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 0001DF

The CLIN extended description has changed from HHT-D Transparent, Flexible Dust Cover HHT-D Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-D Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications and Win Mobile 6.5.x Installed (Desired - Reference Part D, paragraph 4.1.6) Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4600 scan engine, VGA touch screen, Motorola MC9190-G90SWEQA660, Motorola CRD9000-110SES, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT-200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001EB

The CLIN extended description has changed from HHT-E Holster and Shoulder Strap HHT-E Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-E Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order..

SUBCLIN 0001EE

The CLIN extended description has changed from HHT-E Multiple (4) Battery ChargerHHT-E Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-E Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 0001EF

The CLIN extended description has changed from HHT-E Semi-transparent, Flexible Dust CoverHHT-E Semi-transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-E Semi-transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsHand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500-HD (DPM) scan engine, VGA touch screen, Motorola MC9190-G50SWEQA660, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 0001FB

The CLIN extended description has changed from HHT-F Holster and Shoulder StrapHHT-F Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-F Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order..

SUBCLIN 0001FE

The CLIN extended description has changed from HHT-F Multiple (4) Battery ChargerHHT-F Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-F Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 0001FF

The CLIN extended description has changed from HHT-F Transparent, Flexible Dust Cover HHT-F Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-F Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, Motorola MC9190-G30SWEQA660, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001CB

The CLIN extended description has changed from HHT-C Holster and Shoulder Strap HHT-C Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-C Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order..

SUBCLIN 1001CE

The CLIN extended description has changed from HHT-C Multiple (4) Battery Charger HHT-C Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-C Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 1001CF

The CLIN extended description has changed from HHT-C Transparent, Flexible Dust CoverHHT-C Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-C Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 1001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability), Motorola MC9000-GK0HCEQA661, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability), and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, Motorola MC9100-G30SWEQA661, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter..

SUBCLIN 1001DB

The CLIN extended description has changed from HHT-D Holster and Shoulder StrapHHT-D Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-D Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, HHT-D Holster for CAC (tethered) consisting of – Operations Case (holds MC9XXX, CAC reader and Adapter). Part number SG-MC9027242-01R – Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. Part number S5716DWSP..

SUBCLIN 1001DE

The CLIN extended description has changed from HHT-D Multiple (4) Battery ChargerHHT-D Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-D Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 1001DF

The CLIN extended description has changed from HHT-D Transparent, Flexible Dust CoverHHT-D Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-D Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended

Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications and Win Mobile 6.5.x Installed (Desired - Reference Part D, paragraph 4.1.6) Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4600 scan engine, VGA touch screen, Motorola MC9190-G90SWEQA660, Motorola CRD9000-110SES, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001EB

The CLIN extended description has changed from HHT-E Holster and Shoulder Strap HHT-E Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-E Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order..

SUBCLIN 1001EE

The CLIN extended description has changed from HHT-E Multiple (4) Battery Charger HHT-E Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-E Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 1001EF

The CLIN extended description has changed from HHT-E Semi-transparent, Flexible Dust Cover HHT-E Semi-transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-E Semi-transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless

(802.11g/i) Communications, Motorola MC9090G, Motorola CRD9000 Cradle, Apriva BT200 CAC Reader with charging adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11 a/b/g/i(WPA2)) Communications, and Win Mobile 6.5.x Installed, processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500-HD (DPM) scan engine, VGA touch screen, Motorola MC9190-G50SWEQA660, Motorola CRD9000-110SES Cradle, Apriva BT200 CAC Reader with charging adapter. Standard SD card, 2GB. One operational and one spare battery. Tethered Stylus 3pack. Portable Printer Cable - Zebra Mobile Printer. MC9XXX Cable Adapter (5.0v - 500mAh), Adapter ADP9000-120R snaps on the MC9XXX and has an integrated 1 foot pigtail mini USB cable assembly that interfaces to the BT-200 CAC Card Reader which allows the MC9XXX to continuously charge / communicate with the Apriva BT -200 CAC Card Reader. Adapter ADP9000-120R Also has a RS-232 serial connector for simultaneous connection to a printer. – NOTE: The MC9XXX Cable Adapter ADP9000-110R is available upon Customer request at no additional charge in lieu of the ADP9000-120R. Request must be stated at time of order. Adapter ADP9000-110R snaps on the MC9XXX and provides for a single cabled interface between the MC9XXX and the host (computer /printer/BT-200 CAC Card Reader) and can be used for charging of the MC9XXX via an AC adapter. NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 0 inches..

SUBCLIN 1001FB

The CLIN extended description has changed from HHT-F Holster and Shoulder Strap HHT-F Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 to HHT-F Holster and Shoulder Strap, Motorola SG-MC Holster and Motorola Universal Shoulder Strap, Kit Part Number 333-00030 Shoulder strap 58-40000-007R and holster, Two part SG-MC9027242-01R and S5716DWSP – Operations Case (holds MC9XXX CAC reader and Adapter) and Agora Cordura nylon holster with belt clip, waist pad, and safety strap for HHT. – NOTE: The one part SG-MC9121112-01R – holster with belt clip is available upon Customer request at no additional charge in lieu of the two part SG-MC9027242-01R and S5716DWSP. Request must be stated at time of order..

SUBCLIN 1001FE

The CLIN extended description has changed from HHT-F Multiple (4) Battery Charger HHT-F Multiple (4) Battery Charger, Motorola SAC9000 Charger to HHT-F Multiple (4) Battery Charger, Motorola SAC9000-400CES Charger.

SUBCLIN 1001FF

The CLIN extended description has changed from HHT-F Transparent, Flexible Dust Cover HHT-F Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9090G, clear vinyl over keys and display to HHT-F Transparent, Flexible Dust Cover, Lowry PN# SY-C909G-01 protective softcase for Motorola MC9190-G, clear vinyl over keys and display.

(End of Summary of Changes)