

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT 1. Contract ID Code Firm Fixed Price Page 1 Of 7

2. Amendment/Modification No. P00024 3. Effective Date 08 Jul 2014 4. Requisition/Purchase Req No. SEE SCHEDULE 5. Project No. (If applicable)

6. Issued By Code W52P1J 7. Administered By (If other than Item 6) Code S2305A
 ARMY CONTRACTING COMMAND - RI
 TRISHA M. TAYLOR
 ROCK ISLAND, IL 61299-8000
 BLDGS 60 & 62
 EMAIL: TRISHA.M.TAYLOR@US.ARMY.MIL
 DCMA DETROIT
 35803 MOUND ROAD
 STERLING HEIGHTS MI 48310

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)
 LOWRY HOLDING COMPANY, INC.
 9420 MALTBY RD
 BRIGHTON, MI 48116-8801
 9A. Amendment Of Solicitation No.
 9B. Dated (See Item 11)
 10A. Modification Of Contract/Order No.
 W91QUZ-09-D-0043
 10B. Dated (See Item 13)
 2012MAY25
 Code 8Y716 Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers
 is extended, is not extended.
 Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:
 (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)
 NO CHANGE TO OBLIGATION DATA

13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS
 If Modifies The Contract/Order No. As Described In Item 14.

A. This Change Order Is Issued Pursuant To: The Changes Set Forth In Item 14 Are Made In The Contract/Order No. In Item 10A.
 B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).
 C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of Part C-1, 43.103 (a)
 D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible)
 SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print) 16A. Name And Title Of Contracting Officer (Type or print)
 Mark Muehlenbeck CFO JUSTIN D. TRINE
 JUSTIN.D.TRINE.CIV@MAIL.MIL (309) 782-5096
 15B. Contractor/Officer 15C. Date Signed 16B. United States Of America 16C. Date Signed
 Signature of person authorized to sign 6/18/14 By Justin D. Trine Signature of Contracting Officer 08 Jul 2014

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. Contract ID Code
Firm Fixed Price

Page 1 Of 7

2. Amendment/Modification No. P00024	3. Effective Date 2014JUL08	4. Requisition/Purchase Req No. SEE SCHEDULE	5. Project No. (If applicable)
---	--------------------------------	---	--------------------------------

6. Issued By ARMY CONTRACTING COMMAND - RI TRISHA M. TAYLOR ROCK ISLAND, IL 61299-8000 BLDGS 60 & 62 EMAIL: TRISHA.M.TAYLOR5.CIV@MAIL.MIL	Code W52P1J	7. Administered By (If other than Item 6) DCMA DETROIT 35803 MOUND ROAD STERLING HEIGHTS MI 48310	Code S2305A
--	----------------	--	----------------

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code) LOWRY HOLDING COMPANY, INC. 9420 MALTBY RD BRIGHTON, MI 48116-8801	<input type="checkbox"/>	9A. Amendment Of Solicitation No.
	<input type="checkbox"/>	9B. Dated (See Item 11)
	<input checked="" type="checkbox"/>	10A. Modification Of Contract/Order No. W91QUZ-09-D-0043
	<input type="checkbox"/>	10B. Dated (See Item 13) 2012MAY25
Code 8Y716	Facility Code	

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

NO CHANGE TO OBLIGATION DATA

**13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS
It Modifies The Contract/Order No. As Described In Item 14.**

<input type="checkbox"/>	A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.	The Changes Set Forth In Item 14 Are Made In
<input type="checkbox"/>	B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).	
<input checked="" type="checkbox"/>	C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:	Part C-1, 43.103 (a)
<input type="checkbox"/>	D. Other (Specify type of modification and authority)	

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)	16A. Name And Title Of Contracting Officer (Type or print) JUSTIN D. TRINE JUSTIN.D.TRINE.CIV@MAIL.MIL (309)782-5096		
15B. Contractor/Offeror _____ (Signature of person authorized to sign)	15C. Date Signed	16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)	16C. Date Signed 2014JUL08

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 7**

PIIN/SIIN W91QUZ-09-D-0043

MOD/AMD P00024

Name of Offeror or Contractor: LOWRY HOLDING COMPANY, INC.

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: TRISHA M. TAYLOR
Buyer Office Symbol/Telephone Number: CCRC-TB/(309)782-2836
Type of Contract: Firm Fixed Price
Kind of Contract: Service Contracts
Type of Business: Large Business Performing in U.S.
Surveillance Criticality Designator: C
Contract Expiration Date: 2014JUL23

*** End of Narrative A0000 ***

The purpose of modification (P00024) is to do the following:

1. In accordance with the Government CCP ALO011, Rev. 3.3, which incorporates a product substitution. AIT IVs requirement of UC APL certified products necessitates this product substitution. The following SLIN descriptions and prices have changed:

1015AAFrom:SLIN Description:

Radio Frequency Access Point (indoor e
FFP
Radio Frequency Access Point (indoor environment)

Radio Frequency Access Point (indoor environment), Motorola AP7131

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 14 inches.

FOB: Destination

Unit Price:

\$1,285.00

To:SLIN Description:

Radio Frequency Access Point (indoor environment)
-Aruba 105 Wireless Access Point (AP-105-F1)
-Aruba 100 Series AP Mount Kit (AP-105-MNT-DC)
-AC Power Adapter
Operating Temperature: +32 degrees F - +122 degrees F;
Storage/Transportation Temperature: -40 degrees F - +158 degrees F
Humidity: 5% - 95% non-condensing

When managed by SLIN x015CA the Access Points offer centralized configuration, data encryption, policy enforcement and network services.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 10 feet.

FOB: Destination

Unit Price:

\$630.00

1015BAFrom:SLIN Description:

RRadio Frequency Access Point (NEMA Encl
FFP
Radio Frequency Access Point (NEMA Enclosure)

Radio Frequency Access Point (NEMA Enclosure), Motorola AP7131

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 7**

PIIN/SIIN W91QUZ-09-D-0043

MOD/AMD P00024

Name of Offeror or Contractor: LOWRY HOLDING COMPANY, INC.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 14 inches.

FOB: Destination

Unit Price:

\$1,944.00

To:SLIN Description:

Radio Frequency Access Point (NEMA Enclosure)
-Aruba 105 Wireless Access Point (AP-105-F1)
-Aruba 100 Series AP Mount Kit (AP-105-MNT-DC)
-AC Power Adapter
-NEMA Enclosure (1026-12106)
- Qty 3 - #6-32 x 1/2" Oval head slotted screw
- Qty 1 - 1/2" Halex watertight rigid/IMC conduit hub (91631)
- Qty 1 - Parallel Short Threaded Waterproof Cable Gland (GLND-WTP-P-7-8B)
Operating Temperature: +32 degrees F - +122 degrees F;
Storage/Transportation Temperature: -40 degrees F - +158 degrees F
Humidity: 5% - 95% non-condensing

When managed by SLIN x015CA the Access Points offer centralized configuration, data encryption, policy enforcement and network services.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 10 feet.

FOB: Destination

Unit Price

\$800.00

1015CAFrom:SLIN Description:

Radio Frequency Gateway
FFP
Radio Requency Gateway
Radio Frequency Gateway, Motorola AP7131
NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordinance (HERO) and the recommended safe distance separation is 14 inches.
FOB: Destination

Unit Price\eb:

\$1,285.00

To:SLIN Description:

Radio Frequency Gateway
-Aruba 3200 (3200-USF1) Please specify country of use at time of purchase.
-Access Point License(s) - 8 AP License (LIC-8-AP)
-RFP License (WIP + Spectrum) - 8 AP License (LIC-RFP-8)
-Policy Enforcement Firewall - 8 AP License (LIC-PEFNG-8)
-xSec Module License - 32 (User) Sessions (LIC-XSC-32)
FIPS and TAA compliant devices, UC APL Approved Device.
-Operating temperature range: 0 degrees C to 40 degrees C
-Storage temperature range: -40 degrees C to 70 degrees C
-Humidity, non-condensing: 5% to 95% S
Supports up to 8 Access Points and 32 users.
Utilize with SLINS 1015AA and 1015CA
FOB: Destination

Unit Price:

\$8,453.00

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 4 of 7****PIIN/SIIN** W91QUZ-09-D-0043**MOD/AMD** P00024**Name of Offeror or Contractor:** LOWRY HOLDING COMPANY, INC.1031GAFrom:SLIN Description:

FIPS 140 Wireless Security Software for
FFP
FIPS 140 Wireless Security Software for Network (Server)

FIPS 140 Wireless Security Software for Network (Server), Aruba MMC 800 Controller
FOB: Destination

Unit Price:

\$10,528.00

To:SLIN Description:

FIPS 140 Wireless Security Software for
FFP
FIPS 140 Wireless Security Software for Network (Server)

FIPS security is built-in to SLIN 1015CA
FOB: Destination

Unit Price:

NSP

2. In accordance with the Government CCP AL0012, Rev. 5, which incorporates a product substitution and discontinuation of SLINS. The following SLIN descriptions, units, and unit prices have changed:

1023AAFrom:SLIN Description:

Transit Case Configuration for Five (5)
FFP

Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/i wireless communications

Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS , Full Keypad and 802.11g/i wireless communications, Lowry Transit Case Configuration PN 333-00033: Includes Lowry Transit Case Model SG-LC-A; HHT-C, Motorola MC9090G, Qty 5; Motorola Holster and Shoulder Strap, Qty 5; Motorola Operational and Spare Batteries, Qty 10; Motorola SAC9000 Multiple Battery Charger, Qty 1; Motorola CRD9000 Cradle, Qty 5; Motorola AP7131 with NEMA enclosure, Qty 1; U.S. AC Power Cord, Qty 7; UK AC power Cord, Qty 7; Europe AC Power Cord, Qty 7; User Manuals; Training CD-ROM

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit Price:

\$17,439.00

To:SLIN Description:

Five Handheld Barcode Terminal (HHT-C) with Win Mobile 6.x RF Transit Case Configuration With Win Mobile 6.5.x (Latest Version) OS, Full Keypad and 802.11a/b/g/i(WPA2) wireless communications Lowry Transit Case Configuration PN 333-00033:

-(5) HHT-Cs (1001CA) including cradles and power cords (MC9190-G30SWEQA660, CRD9000-110SES) consisting of: processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM, SE4500SR scan engine, VGA touch screen, 2GB Standard SD card, Tethered Stylus 3 pack, Motorola Holster and Shoulder Strap, Motorola Operational and Spare Battery, Motorola Multiple (4) Battery Charger incl power cord (SAC9000-400CES)

-(1) Aruba Access Point w/NEMA Enclosure (1015BA) includes power supply

-(1) Transit Case with Foam cutouts (SG-LC-A)

-UK AC power Cord, Qty 7; Europe AC Power Cord, Qty 7

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 5 of 7
	PIIN/SIIN W91QUZ-09-D-0043 MOD/AMD P00024	

Name of Offeror or Contractor: LOWRY HOLDING COMPANY, INC.

-Commercial User Manuals

-Transit Case Configuration Training CD-ROM

Please state country of use at time of order.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation for HHT-C is 4 inches and for Access Point is 10 feet.

FOB: Destination

Unit Price:

\$17,439.00

1023AB

From:

SLIN Description:

Transit Case Configuration for Five (5)

FFP

Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications

Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, Lowry Transit Case PN 333-00034: Includes Lowry Transit Case Model SG-LC-B; HHT-C, Motorola MC9090G with Win Mobile 5.0 OS, Qty 5; Motorola Holster and Shoulder Strap, Qty 5; Motorola Operational and Spare Batteries, Qty 10; Motorola SAC9000 Multiple Battery Charger, Qty 1; Motorola CRD9000 Cradle, Qty 5; Motorola AP7131 with NEMA enclosure, Qty 1; U.S. AC Power Cord, Qty 7; UK AC power Cord, Qty 7; Europe AC Power Cord, Qty 7; User Manuals; Training CD-ROM

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit:

Each

Unit Price:

\$17,439.00

To:

SLIN Description:

RESERVED

The product listed below is no longer offered and or available for purchase on this contract due to it being end of life.

Transit Case Configuration for Five (5)

FFP

Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications

Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, Lowry Transit Case PN 333-00034: Includes Lowry Transit Case Model SG-LC-B; HHT-C, Motorola MC9090G with Win Mobile 5.0 OS, Qty 5; Motorola Holster and Shoulder Strap, Qty 5; Motorola Operational and Spare Batteries, Qty 10; Motorola SAC9000 Multiple Battery Charger, Qty 1; Motorola CRD9000 Cradle, Qty 5; Motorola AP7131 with NEMA enclosure, Qty 1; U.S. AC Power Cord, Qty 7; UK AC power Cord, Qty 7; Europe AC Power Cord, Qty 7; User Manuals; Training CD-ROM

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit:

UNDEFINED

Unit Price:

UNDEFINED

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 7
	PIIN/SIIN W91QUZ-09-D-0043 MOD/AMD P00024	
Name of Offeror or Contractor: LOWRY HOLDING COMPANY, INC.		

1023CA

From:

SLIN Description:

Transit Case Configuration, Hand Held Ba
FFP

Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories

Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories, Lowry Transit Case PN 333-00036, Includes Transit Case Model SG-LC-D; HHT-C, Motorola MC9090G, Qty 1; Motorola Holster and Shoulder Strap, Qty 1; Motorola Operational and Spare Batteries, Qty 2; Motorola SAC9000 Multiple Battery Charger, Qty 1; Motorola CRD9000 Cradle, Qty 1; Zebra ZM400 Stationary Bar Code Label Printer, Qty 1; USB Interface Cable, Qty 1; U.S. AC Power Cord, Qty 3; UK AC power Cord, Qty 3; Europe AC Power Cord, Qty 3; Lowry 800-53004 8-inch roll White Gloss Polyester 4 by 6 inch Labels, Qty 1; IImak Model FRD Resin Printer Ribbon, Qty 1; User Manuals; Training CD-ROM

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit:

Each

Unit Price:

\$5,122.00

To:

SLIN Description:

Transit Case Configuration,
FFP

Handheld Barcode Terminal (HHT-C) and Stationary Barcode Printer Transit Case Configuration

-(1) HHT-Cs (1001CA) including cradle, USB Cable and power cord (MC9190-G30SWEQA660, CRD9000-110SES)

-processor Marvel PXA320 @ 806 MHz with 256MB RAM and 1GB ROM

-SE4500SR scan engine

-VGA touch screen

-2GB Standard SD card

-Tethered Stylus 3 pack

-Motorola Holster and Shoulder Strap, Qty 1

-Motorola Operational and Spare Batteries, Qty 2

-(1) Motorola Multiple (4) Battery Charger incl power cord (SAC9000-400CES)

-(1) Transit Case with Foam cutouts

-Commercial User Manuals

-Transit Case Configuration Training CD-ROM

-Stationary Barcode Label Printer with USB Cable

-(1) Roll 4"x6" Plastic Barcode Label stock, 8-in.

-(1) Resin Printer Ribbon

-Transit Case

-UK AC power Cord, Qty 3; Europe AC Power Cord, Qty 3

-Commercial User Manual

-Transit Case Configuration Training CD-ROM

Please state country of use at time of order.

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit:

Each

Unit Price:

\$5,122.00

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 7 of 7
	PIIN/SIIN W91QUZ-09-D-0043	MOD/AMD P00024
Name of Offeror or Contractor: LOWRY HOLDING COMPANY, INC.		

1023CB

From:

SLIN Description:

Transit Case Configuration, Hand Held Ba

FFP

Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories

Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories, Lowry Transit Case PN 333-00037, Includes Transit Case Model SG-LC-E; HHT-C, Motorola MC9090G with Win Mobile 5.0 OS, Qty 1; Motorola Holster and Shoulder Strap, Qty 1; Motorola Operational and Spare Batteries, Qty 2; Motorola SAC9000 Multiple Battery Charger, Qty 1; Motorola CRD9000 Cradle, Qty 1; Zebra ZM400 Stationary Bar Code Label Printer, Qty 1; USB Interface Cable, Qty 1; U.S. AC Power Cord, Qty 3; UK AC power Cord, Qty 3; Europe AC Power Cord, Qty 3; Lowry 800-53004 8-inch roll White Gloss Polyester 4 by 6 inch Labels, Qty 1; IImak Model FRD Resin Printer Ribbon, Qty 1; User Manuals; Training CD-ROM

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit:

Each

Unit Price:

\$5,199.00

To:

SLIN Description:

RESERVED

The product listed below is no longer offered and or available for purchase on this contract due to it being end of life.

Transit Case Configuration,

FFP

Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories

Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories, Lowry Transit Case PN 333-00037, Includes Transit Case Model SG-LC-E; HHT-C, Motorola MC9090G with Win Mobile 5.0 OS, Qty 1; Motorola Holster and Shoulder Strap, Qty 1; Motorola Operational and Spare Batteries, Qty 2; Motorola SAC9000 Multiple Battery Charger, Qty 1; Motorola CRD9000 Cradle, Qty 1; Zebra ZM400 Stationary Bar Code Label Printer, Qty 1; USB Interface Cable, Qty 1; U.S. AC Power Cord, Qty 3; UK AC power Cord, Qty 3; Europe AC Power Cord, Qty 3; Lowry 800-53004 8-inch roll White Gloss Polyester 4 by 6 inch Labels, Qty 1; IImak Model FRD Resin Printer Ribbon, Qty 1; User Manuals; Training CD-ROM

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

FOB: Destination

Unit:

UNDEFINED

Unit Price:

UNDEFINED

3. Except as provided herein, the balance of those terms, conditions, and requirements under Contract Number W91QUZ-09-D-0043, as modified to date, shall remain unchanged and in full force and effect.

*** END OF NARRATIVE A0008 ***