

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. Contract ID Code
Firm Fixed Price

Page 1 Of 12

2. Amendment/Modification No.

P00022

3. Effective Date

05 Dec 2014

4. Requisition/Purchase Req No.

SEE SCHEDULE

5. Project No. (If applicable)

6. Issued By

ARMY CONTRACTING COMMAND - RI
TRISHA M. TAYLOR
ROCK ISLAND, IL 61299-8000
BLDGS 60 & 62

EMAIL: TRISHA.M.TAYLOR5.CIV@MAIL.MIL

Code

W52P1J

7. Administered By (If other than Item 6)

DCMA MANASSAS
14501 GEORGE CARTER WAY
CHANTILLY VA 20151

Code

S2404A

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)

NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC
DEFENSE GROUP (FORMERLY DEFENSE ENTERPRISE SOLUTIONS)
7575 COLSHIRE DR
MCLEAN, VA 22102-7508

9A. Amendment Of Solicitation No.

9B. Dated (See Item 11)

10A. Modification Of Contract/Order No.

W91QUZ-09-D-0041

10B. Dated (See Item 13)

2012MAY25

Code 1V4D7

Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:

(a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

NO CHANGE TO OBLIGATION DATA

13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS

It Modifies The Contract/Order No. As Described In Item 14.

A. This Change Order is Issued Pursuant To: _____ The Changes Set Forth In Item 14 Are Made In _____
The Contract/Order No. In Item 10A.

B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).

C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: _____ 52.212-4 (c)

D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)

Monica Kulisch, Sr. Contract Admin.

16A. Name And Title Of Contracting Officer (Type or print)

JUSTIN D. TRINE
JUSTIN.D.TRINE.CIV@MAIL.MIL (309) 782-5096

15B. Contractor/Officer

Monica Kulisch

(Signature of person authorized to sign)

15C. Date Signed

12/2/14

16B. United States Of America

By *Justin D. Trine*

(Signature of Contracting Officer)

16C. Date Signed

05 Dec 2014

NSN 7540-01-152-8070

PREVIOUS EDITIONS UNUSABLE

30-105-02

STANDARD FORM 30 (REV. 10-83)

Prescribed by GSA FAR (48 CFR) 53.243

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 12**

PIIN/SIIN W91QUZ-09-D-0041

MOD/AMD P00022

Name of Offeror or Contractor: NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: TRISHA M. TAYLOR
Buyer Office Symbol/Telephone Number: CCRC-TB/(309)782-2836
Type of Contract: Firm Fixed Price
Kind of Contract: Service Contracts
Type of Business: Large Business Performing in U.S.
Surveillance Criticality Designator: C
Contract Expiration Date: 2014JUL23

*** End of Narrative A0000 ***

The purpose of modification (P00022) is to do the following:

1. In accordance with the Government CCP APM004, Version 3, dated 24 Oct 2014, the following SLIN descriptions and unit prices have changed:

1001GA

From:

Hand Held Barcode Terminal (HHT-G)

FFP

INTEGRATED IMAGER, FULL ALPHANUMERIC KEYPAD CAPABILITY, LARGE DISPLAY, AND WIRELESS 802.11I/G COMMUNICATIONS; Panasonic Handheld G (Panasonic P/N: CF-H2FRLQX1M) includes: Microsoft WIN 7, 32 bit OS, (Note: For US Army orders - AGM Gold Master pre-loaded prior to delivery), Intel WiFi (802.11) a/b/g/n (WPA2), Bluetooth, smartcard reader, Intel\ae Core\99 i5-3427U Processor, 128GB SSD, 4GB SDRAM (DDR3-1333MHz), 3MP Cam, 2D barcode, 10.1 XGA Dual touch LCD (touchscreen and digitizer), Integrated stylus holder, 74-key on-screen keyboard with dedicated Windows\ae key; integrated 3G Gobi\99 mobile broadband; 2 USB 2.0 ports; Twin hot-swappable Li-Ion battery packs; 7.2V, typical 3400mAh, minimum 3200mAh each battery; Battery operation: 6.5 hours (with both batteries); Battery charging time: 3 hours on; AC Adapter (P/N: CF-AA6373A): AC 100V-240V 50/60Hz, auto sensing /switching; worldwide power supply; one stylus; MIL STD 810G certified; IP65 certified. The Docking station for the HHT-G (Panasonic H2) Panasonic P/N: CF-VEBH21KU). It has a 2 bay battery charging slot, 1 USB port, 1 VGA port, RJ-45 port, AC Jack, Cable lock slot AC Adapter (Panasonic P/N: CF-AA6373A) is included with the HHT-G SLIN.

FOB: Destination

Unit is Each

Unit Price is \$4,248.00

To:

Hand Held Barcode Terminal (HHT-G)

FFP

Hand Held Barcode Terminal (HHT-G)

For the HHT-G, the Getac F110 handheld tablet - Hand Held Barcode Terminal (HHT-G) INTEGRATED IMAGER, FULL ALPHANUMERIC KEYPAD CAPABILITY, LARGE DISPLAY; WIRELESS 802.11 b/g/I; B/T; COMMUNICATIONS; Getac Handheld G (Getac P/N: FTA117) includes:

- Microsoft WIN 7, 32 bit OS, (Note: For US Army orders - AGM Gold Master pre-loaded prior to delivery - The OS will be hardened to the DISA Field Security Operations (FSO) Security Content Automation Protocol (S-CAP))
- Intel WiFi (802.11) a/b/g/n (WPA2)
- Bluetooth
- smartcard reader
- Intel Core i5-4300U 1.9GHz processor with Turbo Boost Technology up to 2.9GHz 3MB L3 Intel Smart Cache
- 128GB SSD, 4GB DDR3L-RAM
- 2D barcode (Getac P/N: F-EPBCR)
- 11.6 inches TFT LCD HD (1366x768) 800 NITS LumiBond sunlight readable LED display with multi-touch technology
- Integrated stylus holder,
- on-screen keyboard with dedicated Windows key;
- 1 USB 2.0 port (supports wired connection to a portable printer)
- 1 Serial Port
- Li-Ion battery (7.4V, 4200mAh) - Battery operation: 8 hours
- AC Adapter (65W, 100-240VAC, 50/60 Hz)
- Hot swappable Dual Li-Ion battery (2160mAh) x 2 (up to 12.4 hours of battery life)
- one stylus
- MIL STD 810G and IP65 certified.

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

-Docking station for the HHT-G (Getac P/N: GODF01) 1 USB port, 1 VGA port, RJ-45 port,
-AC Power adaptor/Jack; (Getac P/N: GAC001)

FOB: Destination

Unit is Each

Unit Price is \$4,248.00

1001GB

From:

HHT-G Detachable Shoulder Strap

FFP

HHT-G Detachable Shoulder Strap

InfoCase Black Shoulder Strap for CF-H1 Field, CF-H2 (Panasonic P/N: TBCH1SS-BLK-P)

FOB: Destination

Unit is Each

Unit Price is \$24.00

To:

HHT-G Detachable Shoulder Strap

FFP

HHT-G Detachable Shoulder Strap

Getac GSS001 Shoulder strap (2-point)

FOB: Destination

Unit is Each

Unit Price is \$24.00

1001GC

From:

NOT APPLICABLE

FFP

NOT APPLICABLE - Detachable Hand strap (if available)

FOB: Destination

Unit is Undefined

Unit Price is Undefined

To:

NOT APPLICABLE

FFP

NOT APPLICABLE - Detachable Hand strap (if available) - GHD001 Soft Handle (Requires Bracket GBK001)

FOB: Destination

Unit is Undefined

Unit Price is Undefined

1001GD

From:

HHT-G Rechargeable Battery

FFP

HHT-G Rechargeable Battery

Battery for CF-H1, CF-H2 Mk1, Mk2, CF-U1 Mk2 (Panasonic P/N: CF-VZSU53AW)

FOB: Destination

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 4 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

Unit is Each

Unit Price is \$95.00

To:

HHT-G Rechargeable Battery

FFP

HHT-G Rechargeable Battery

Getac GBA001 Hot swappable battery (spare)

FOB: Destination

Unit is Each

Unit Price is \$95.00

1001GE

From:

HHT-G Multiple (4) Battery Charger (if available)

FFP

HHT-G Multiple (4) Battery Charger (if available)

4 Bay Battery Charger for CF-U1, CF-H1, CF-H2 No AC Adaptor included Panasonic P/N: CF-VCBU11U)

FOB: Destination

Unit is Each

Unit Price is \$636.00

To:

HHT-G Multiple (4) Battery Charger (if available)

FFP

HHT-G Multiple (4) Battery Charger with AC Power Adapter (if available)

GCH001 External dual bay battery charger for CBA001 batteries

FOB: Destination

Unit is Each

Unit Price is \$636.00

1001GF

From:

HHT-G Transparent, Screen protector

FFP

HHT-G Transparent, Screen protector

10.4 Protective Film for CF-H1, CF-H2, (Panasonic P/N: CF-VPF13AU)

FOB: Destination

Unit is Each

Unit Price is \$64.00

To:

HHT-G Transparent, Screen protector

FFP

HHT-G Transparent, Screen protector

Getac GSP001 F110 Screen Protector with AG & AR Technology

FOB: Destination

Unit is Each

Unit Price is \$64.00

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 5 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC1001GG

From:
HHT-G Tethered Replacement Styli
FFP
HHT-G Tethered replacement styli
Tether styli for CF-H2(Panasonic P/N: CF-VNT003U-10PK)
FOB: Destination

Unit is Each

Unit Price is \$16.00

To:
HHT-G Tethered Replacement Styli
FFP
HHT-G Tethered replacement styli
Getac GST001 Capacitive Stylus & Tether
FOB: Destination

Unit is Each

Unit Price is \$16.00

1001GH

From:
HHT-G Docking station
FFP
HHT-G Docking station
Desktop Cradle / Spare 2-Bay Battery Charger (Black) for CF-H2 (Panasonic P/N: CF-VEBH21KU)
FOB: Destination

Unit is Each

Unit Price is \$301.00

To:
HHT-G Docking station
FFP
HHT-G Docking station
HHT-G Desktop Cradle / Spare Getac GODF01 Office Dock Station
FOB: Destination

Unit is Each

Unit Price is \$301.00

1001HA

From:
Hand Held Barcode Terminal (HHT-H)
FFP
Hand Held Barcode Terminal (HHT-H) INTEGRATED IMAGER, FULL ALPHANUMERIC KEYPAD CAPABILITY, SMALL DISPLAY, AND WIRELESS 802.11I/G COMMUNICATIONS; Panasonic Toughbook includes Win7 OS 32 Bit, (Note: For US Army orders - AGM Gold Master pre-loaded prior to delivery), Intel Atom Z530 1.60GHz, 5.6 WSVGA Touch screen, 128GB SSD(MLC) CF-U1mk2, 2GB RAM, Atheros WiFi a/b/g/n (WPA2), Bluetooth, No Drive, TPM, No Pass Through, 2D Barcode scanner, backlit QWERTY keyboard (Panasonic P/N: CF-U1NQG2Z1M); Twin hot-swappable Li-Ion battery packs (7.2V, 2900mAh each) battery operation up to 9 hours (Panasonic P/N: CF-VZSU53AW); Mini-Dock for Serial, LAN, Smart card reader for the CF-U1(Panasonic P/N: CFVEBU12U),
Small Stylus Pen (Panasonic P/N: CF-VNP003U-Single), 3G Gobi\99 mobile broadband (EV-DO Rev. A, HSPA); USB 2.0, MIL STD 810G certified; IP65 certified; Toughbook Preferred. The HHT-H contains the following input ports: 1 USB, 1 RJ45, 1 SD Card Slot, 1 CAC Card reader and 1 serial port. The Desktop Cradle for the HHT-H (Panasonic U1) is part number: CF-VEBU11BU. It has a 2 bay battery charging

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 6 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

slot, 3 USB ports, 1 VGA port, 1 RJ45 Port and an AC Adapter (Panasonic P/N: CF-AA6503A2M)
FOB: Destination

Unit is Each

Unit Price is \$3,457.00

To:

Hand Held Barcode Terminal (HHT-H)
FFP
Hand Held Barcode Terminal (HHT-H)

For the HHT-H Hand Held Barcode Terminal - the Getac T800 handheld tablet (HHT-H) INTEGRATED IMAGER, FULL ALPHANUMERIC KEYPAD CAPABILITY, SMALL DISPLAY, AND WIRELESS 802.11I/G COMMUNICATIONS; The Getac T800 Toughbook (Getac P/N: FTAll17) includes:
-Win7 OS 32Bit, (Note: For US Army orders - AGM Gold Master pre-loaded prior to delivery - The OS will be hardened to the DISA Field Security Operations (FSO) Security Content Automation Protocol (S-CAP)
-802.11 ac WLAN (WPA2)
-Bluetooth
-Quad-core Intel N3530 2.16 GHz processor (up to 2.58 GHz) 2MB Cache
-8.1 inches TFT LCD HD (1280x800) 600 NITs LumiBon sunlight readable LED display with multi-touch technology
-SATA 128GB Solid State
-4GB DDR3L
-2D Barcode scanner
-Virtual QWERTY keyboard
-AC Adapter (65W, 100-240VAC, 50/60Hz) Li-Ion battery (7.4V, 4200mAh) (up to 8 hours battery life)
-Spare Rechargeable Battery (Getac P/N: GBA001) See Note below.

Note: A hot-swappable battery configuration is not available for the T800. A spare battery is provided that will safely allow the user to replace the HHT-H battery when simultaneously connected to an AC power source without any degradation in performance, lost active session data, or personal injury.

-Snap Back CAC reader
-Mini-Dock for Serial, LAN, USB (Getac P/N:GOT01)
-Small Stylus
-1 Serial Port
-USB 2.0
-MILSTD 810G certified; IP65 certified

FOB: Destination

Unit is Each

Unit Price is \$3,457.00

1001HB

From:

HHT-H Detachable Shoulder Strap
FFP
HHT-H Detachable Shoulder Strap
InfoCase protective Case w/Adjustable Strap included (Panasonic P/N: TBCU1HRNS-P)
FOB: Destination

Unit is Each

Unit Price is \$24.00

To:

HHT-H Detachable Shoulder Strap
FFP
HHT-H Detachable Shoulder Strap
Detachable shoulder strap;- Getac GSS002 Two point shoulder strap
FOB: Destination

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 7 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

Unit is Each

Unit Price is \$24.00

1001HC

From:

HHT-H Detachable Hand strap (if available)

FFP

HHT-H Detachable Hand strap (if available) - Not Available

FOB: Destination

Unit is Undefined

Unit Price is Undefined

To:

HHT-H Detachable Hand strap (if available)

FFP

HHT-H Detachable Hand strap (if available) - Not Available

Getac GCS002 Wrist Strap

FOB: Destination

Unit is Undefined

Unit Price is Undefined

1001HD

From:

HHT-H Rechargeable Battery

FFP

HHT-H Rechargeable Battery

Battery for CF-H1, CF-H2 Mk1, Mk2, CF-U1 Mk2 (Panasonic P/N: CF-VZSU53AW)

FOB: Destination

Unit is Each

Unit Price is \$95.00

To:

HHT-H Rechargeable Battery

FFP

HHT-H Rechargeable Battery

Getac GBA003 T800 Main Battery

FOB: Destination

Unit is Each

Unit Price is \$95.00

1001HE

From:

HHT-H Multiple (4) Battery Charger (if available)

FFP

HHT-H Multiple (4) Battery Charger (if available)

4 Bay Battery Charger for CF-U1, CF-H1, CF-H2 No AC Adaptor included (Panasonic P/N: CF-VCBU11U)

FOB: Destination

Unit is Each

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 8 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

Unit Price is \$636.00

To:

HHT-H Multiple (4) Battery Charger (if available)

FFP

HHT-H Multiple (4) Battery Charger with AC Power Adapter (if available)

Getac GCH002 External dual bay battery charger for CBA001batteries

FOB: Destination

Unit is Each

Unit Price is \$636.00

1001HF

From:

HHT-H Transparent, Screen Protector

FFP

HHT-H Transparent, Screen Protector

Panasonic - notebook screen protector (Panasonic P/N: CF-VPF12U)

FOB: Destination

Unit is Each

Unit Price is \$24.00

To:

HHT-H Transparent, Screen Protector

FFP

HHT-H Transparent, Screen Protector

Getac GSP003 Screen Protector with AG & ARTechnology

FOB: Destination

Unit is Each

Unit Price is \$24.00

1001HG

From:

HHT-H Tethered Replacement Styli

FFP

HHT-H Tethered Replacement Styli

Small Stylus Pen for CF-18,19 Touch, T2-8, CF-U1, MDWD, Single Unit (Panasonic P/N:CF-VNP003U-SINGLE)

FOB: Destination

Unit is Each

Unit Price is \$16.00

To:

HHT-H Tethered Replacement Styli

FFP

HHT-H Tethered Replacement Styli

Getac GST002 Capacitive Stylus & Tether

FOB: Destination

Unit is Each

Unit Price is \$16.00

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 9 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC1001HH

From:

HHT-H Docking station

FFP

HHT-H Docking station

Mini-Dock for Serial, LAN, Smart card for the CF-U1(Panasonic P/N: CF-VEBU12U)

FOB: Destination

Unit is Each

Unit Price is \$324.00

To:

HHT-H Docking station

FFP

HHT-H Docking station

Mini-Dock for Serial, LAN, USB (Getac P/N:GOT01)

FOB: Destination

Unit is Each

Unit Price is \$324.00

2. In accordance with the Intermec's CCP ANG016, Revision 1.3, dated 20 Oct 2014, the following SLIN Descriptions, Unit, and Unit Prices have changed:

1015AA

From:

Radio Frequency Access Point (indoor e

FFP

Radio Frequency Access Point (indoor environment) includes: AP-7131 Dual Radio 802.11a/g Access Point (Motorola P/N:AP-7131N-44040-FGR), [AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A (Motorola P/N: 50-14000-247R)], AC Line Cord (Motorola P/N: 50-16000-221R), [Antenna: Indoor; Type: Dipole; 3dBi @2.4GHz (Motorola P/N: ML-2452-AP2-01)]

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 14 inches.

FOB: Destination

Unit is Each

Unit Price is \$1,243.00

To:

Aruba 105 Wireless Access Point

FFP

Aruba 105 Wireless Access Point, FIPS/TAA, includes: Aruba AP 105 (Aruba P/N AP-105-F1 AP105), Aruba 100 Series Access Point Mount Kit, 1 Port 802.3af PoE Midspan 10/100/1000 15.4W (Aruba P/N PD-3501G-AC), NEXT-DAY SUPPORT FOR PD-3501G-AC (3 YR) (Aruba P/N SN3-PD-3501G-AC).

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 120 inches.

Requires the utilization of CLIN 1015CA for AP operation and to accomplish a full security / FIPS solution.

FOB: Destination

Unit is Each

Unit Price is \$680.00

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 10 of 12****PIIN/SIIN** W91QUZ-09-D-0041**MOD/AMD** P00022**Name of Offeror or Contractor:** NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC1015BA

From:

Radio Frequency Access Point (NEMA Encl
FFP

Radio Frequency Access Point (NEMA Enclosure) includes: AP-7131 Dual Radio 802.11a/g Access Point (Motorola P/N:AP-7131N-44040-FGR), [AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A (Motorola P/N: 50-14000-247R)], AC Line Cord (Motorola P/N: 50-16000-221R), NEMA Enclosure (TESSCO P/N:V14126-C60-C-6), RP-SMA (Male) to RP-BNC (Female) Adapter (Motorola P/N:25-72178-01), [Antenna: Indoor/Outdoor; Type: Dipole; 4.6dBi (Motorola P/N:ML-2499-HPA3-01R)]

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 14 inches.

FOB: Destination

Unit is Each

Unit Price is \$1,690.00

To:

Aruba 105 Wireless Access Point (NEMA Enclosure)
FFP

Aruba 105 Wireless Access Point (NEMA Enclosure), FIPS/TAA, includes: Aruba AP 105 (Aruba P/N AP-105-F1 AP105), Aruba 100 Series Access Point Mount Kit, 1 Port 802.3af PoE Midspan 10/100/1000 15.4W (Aruba P/N PD-3501G-AC), NEXT-DAY SUPPORT FOR PD-3501G-AC (3 YR) (Aruba P/N SN3-PD-3501G-AC), NEMA Enclosure with mounting feet (TESSCO TERRAWAVE P/N:V14126-L-C-NH - 14" x 12" x 6" Polycarbonate Enclosure with Clear Door, Latch Locks, Universal Back Plate, Cord Grip and No Antenna Holes).

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 120 inches.

Requires the utilization of CLIN 1015CA for AP operation and to accomplish a full security / FIPS solution.

FOB: Destination

Unit is Each

Unit Price is \$1,031.00

1015CA

From:

Radio Frequency Gateway
FFP

Radio Frequency Gateway includes: AP-7131 Dual Radio 802.11a/g Access Point (Motorola P/N:AP-7131N-44040-FGR), [AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A (Motorola P/N: 50-14000-247R)], AC Line Cord (Motorola P/N: 50-16000-221R), RFMS Server Software (includes LANplanner) (Motorola P/N:SW-RFMS-SRV-050-WW), [Antenna: Indoor; Type: Dipole; 3dBi @2.4GHz (Motorola P/N:ML-2452-APA2-01)]

NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 14 inches.

FOB: Destination

Unit is Each

Unit Price is \$6,890.00

To:

Aruba 650 Controller
FFP

Aruba 650 Controller - 6x 10/100/1000Base-T (RJ-45) 4 supporting PoE (PoE license included), 2x 1000Base-X (SFP) ports, 4x USB ports, 0 AP Support, Restricted Regulatory Domain -US, FIPS & TAA (P/N 650-USF1), ARUBACARE NBD SUPPORT FOR 650-USF1 (3 YEAR)(P/N SN3-650-USF1), Access Point License (16 Access Point License)(P/N LIC-16-AP), ARUBACARE SUPPORT FOR LIC-16-AP (3 YEAR)(P/N SN3-LIC-16-AP), Policy Enforcement Firewall (16 AP License)(P/N LIC-PEFNG-16), ARUBACARE SUPPORT FOR LIC-PEFNG-16 (3 YEAR)(P/N SN3-LIC-PEFNG-16), RFP LICENSE (WIP + Spectrum) (16 APs)(P/N LIC-RFP-16), ARUBACARE SUPPORT FOR LIC-RFP-16 (3 YEAR)(P/N SN3-LIC-RFP-16), XSec Module License (LIC-XSC-32), SUPPORT FOR LIC-XSC-32).

Note: The Aruba 650 Controller will support up to 16 APs and 32 Users. This configuration is expandable by adding additional 650

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 11 of 12**

PIIN/SIIN W91QUZ-09-D-0041

MOD/AMD P00022

Name of Offeror or Contractor: NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

Controller(s) and Access Points as listed in SLINs 1015AA and 1015BA above.

FOB: Destination

Unit is Each

Unit Price is \$6,210.00

3. Per Modification P00019 to incorporate Government CCP APM003 to this contract W91QUZ-09-D-0041, the Government was to incorporate a revised Statement of Work (SOW) to Section J as an Attachment and that was inadvertently left out. Therefore, the revised SOW has been added as "Attachment 0001 Statement of Work (SOW) 18 JUN 2014" in Section J and the revised SOW incorporates the following changes:

-Update the website for UID policy in Para 1.4.

-Add verbiage in Para 3.3.4 to remove the requirement for HERO testing on the new SLINS proposed in CCP APM003.

-Add information for Para 4.1.1 technical requirements.

-Add new requirements for new HHT-G and HHT-H. Added Para 4.1.8 and 4.1.9 .

-Remove requirement for small arms room software to be installed in laptop in the small arms room notebook in Para 4.5b. This software is available for purchase separately under SLIN 1031HA 1031HF.

-Remove requirement for NSN on transit case ID plate in Para 4.9.7.2 (c) .

-Change Para 4.10 to make the NSN only required for a transit case if done through a separate task order.

4. Per this Modification P00022 to incorporate Government CCP APM004 to this contract W91QUZ-09-D-0041, the Government is to incorporate a revised Statement of Work (SOW) to Section J as an Attachment. Therefore, the revised SOW has been added as "Attachment 0001 Statement of Work (SOW) 18 JUN 2014" in Section J and the revised SOW incorporates the following changes:

-Delete the 3G Mobile Broadband requirement for HHT-G in Para 4.1.8.a.

-Add the requirement that the HHT-G Operating System be hardened to Defense Information Systems Agency (DISA) Field Security Operations (FSO) Security Content Automation Protocol (S-CAP) in Para 4.1.8.b.

-Add verbiage to Para 4.1.8.b. clarifying the Army Gold Master installation process for Army orders.

-Delete the 3G Mobile Broadband requirement for HHT-H in Para 4.1.9.a.

-Change the memory requirement for HHT-H in Para 4.1.9.a. from 4 to 2 GB.

-Add the requirement that the HHT-H Operating System be hardened to Defense Information Systems Agency (DISA) Field Security Operations (FSO) Security Content Automation Protocol (S-CAP) in Para 4.1.9.b.

-Add verbiage to Para 4.1.9.b. clarifying the Army Gold Master installation process for Army orders.

5. Except as provided herein, the balance of those terms, conditions, and requirements under Contract Number W91QUZ-09-D-0041, as modified to date, shall remain unchanged and in full force and effect.

*** END OF NARRATIVE A0009 ***

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 12 of 12

PIIN/SIIN W91QUZ-09-D-0041

MOD/AMD P00022

Name of Offeror or Contractor: NORTHROP GRUMMAN INFORMATION TECHNOLOGY, INC

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 0001	STATEMENT OF WORK (SOW) - 18 JUN 2014	24-NOV-2014	063	EMAIL